



This Edition is licensed for sale only in the Philippines. Circulation of this Edition outside of the Philippines is UNAUTHORIZED AND STRICTLY PROHIBITED.

Chemistry


for Engineering Students



Lawrence S. Brown • Tom Holme • James F. Petersen
Dorothy Sack • Robert E. Gabler

U
140
CST7
2018

C+E 7818-



Chemistry

for Engineering Students

Contents


Preface xvii

Student Introduction xxvi

- 1** Introduction to Chemistry 1
- 1-1 *INSIGHT INTO* Aluminum 2
 - 1-2 The Study of Chemistry 4
 - The Macroscopic Perspective* 4
 - The Microscopic or Particulate Perspective* 6
 - Symbolic Representation* 9
 - 1-3 The Science of Chemistry: Observations and Models 10
 - Observations in Science* 10
 - Interpreting Observations* 11
 - Models in Science* 12
 - 1-4 Numbers and Measurements in Chemistry 13
 - Units* 13
 - Numbers and Significant Figures* 16
 - 1-5 Problem Solving in Chemistry and Engineering 19
 - Using Ratios* 19
 - Ratios in Chemistry Calculations* 20
 - Conceptual Chemistry Problems* 22
 - Visualization in Chemistry* 23
 - 1-6 *INSIGHT INTO* Material Selection and Bicycle Frames 25
 - Focus on Problem Solving* 26
 - Summary* 27
 - Key Terms* 27
 - Problems and Exercises* 27

2 Atoms and Molecules 28

- 2-1 *INSIGHT INTO* Polymers 29
- 2-2 Atomic Structure and Mass 31
 - Fundamental Concepts of the Atom* 31
 - Atomic Number and Mass Number* 32
 - Isotopes* 32
 - Atomic Symbols* 33
 - Atomic Masses and Weights* 34
- 2-3 Ions 36
 - Mathematical Description* 37
 - Ions and Their Properties* 38



Courtesy of 2011 Research Group, Lawrence Berkeley National Laboratory, and the University of California at Berkeley

- 2-4 Compounds and Chemical Bonds 38
 - Chemical Formulas* 39
 - Chemical Bonding* 40
- 2-5 The Periodic Table 42
 - Periods and Groups* 43
 - Metals, Nonmetals, and Metalloids* 45
- 2-6 Inorganic and Organic Chemistry 46
 - Inorganic Chemistry—Main Groups and Transition Metals* 46
 - Organic Chemistry* 47
 - Functional Groups* 50
- 2-7 Chemical Nomenclature 51
 - Binary Systems* 52
 - Naming Covalent Compounds* 52
 - Naming Ionic Compounds* 53
- 2-8 **INSIGHT INTO** Polyethylene 55
 - Focus on Problem Solving 57
 - Summary 58
 - Key Terms 58
 - Problems and Exercises 58a

© Cengage Learning/Charles D. Winters



3 Molecules, Moles, and Chemical Equations 59

- 3-1 **INSIGHT INTO** Biomass and Biofuel Engineering 60
- 3-2 Chemical Formulas and Equations 62
 - Writing Chemical Equations* 62
 - Balancing Chemical Equations* 63
- 3-3 Aqueous Solutions and Net Ionic Equations 68
 - Solutions, Solvents, and Solutes* 69
 - Chemical Equations for Aqueous Reactions* 71
 - Acid–Base Reactions* 73
- 3-4 Interpreting Equations and the Mole 77
 - Interpreting Chemical Equations* 77
 - Avogadro's Number and the Mole* 77
 - Determining Molar Mass* 79
- 3-5 Calculations Using Moles and Molar Masses 80
 - Elemental Analysis: Determining Empirical and Molecular Formulas* 82
 - Molarity* 84
 - Dilution* 86
- 3-6 **INSIGHT INTO** Carbon Sequestration 87
 - Focus on Problem Solving 88
 - Summary 89
 - Key Terms 89
 - Problems and Exercises 89a

© Getty Images/Photography/Getty Images



4 Stoichiometry 90

- 4-1 **INSIGHT INTO** Gasoline and Other Fuels 91
- 4-2 Fundamentals of Stoichiometry 94
 - Obtaining Ratios from a Balanced Chemical Equation* 95



Freon-12, CF_2Cl_2

- 4-3 Limiting Reactants 99
- 4-4 Theoretical and Percentage Yields 104
- 4-5 Solution Stoichiometry 105
- 4-6 **INSIGHT INTO** Alternative Fuels and Fuel Additives 108
 - Focus on Problem Solving 109
 - Summary 111
 - Key Terms 111
 - Problems and Exercises 111

5 Gases 112

- 5-1 **INSIGHT INTO** Air Pollution 113
 - Properties of Gases* 115
- 5-2 Pressure 116
 - Measuring Pressure* 117
 - Units of Pressure* 118
- 5-3 History and Application of the Gas Law 119
 - Units and the Ideal Gas Law* 122
- 5-4 Partial Pressure 123
- 5-5 Stoichiometry of Reactions Involving Gases 126
 - STP Conditions* 127
- 5-6 Kinetic-Molecular Theory and Ideal Versus Real Gases 128
 - Postulates of the Model* 128
 - Real Gases and Limitations of the Kinetic Theory* 132
 - Correcting the Ideal Gas Equation* 133
- 5-7 **INSIGHT INTO** Gas Sensors 135
 - Capacitance Manometer* 135
 - Thermocouple Gauge* 136
 - Ionization Gauge* 137
 - Mass Spectrometer* 138
 - Focus on Problem Solving 138
 - Summary 139
 - Key Terms 139
 - Problems and Exercises 139a

6 The Periodic Table and Atomic Structure 140

- 6-1 **INSIGHT INTO** Trace Analysis 141
- 6-2 The Electromagnetic Spectrum 143
 - The Wave Nature of Light* 143
 - The Particulate Nature of Light* 148
- 6-3 Atomic Spectra 152
 - The Bohr Atom* 154
- 6-4 The Quantum Mechanical Model of the Atom 155
 - Potential Energy and Orbitals* 156
 - Quantum Numbers* 157
 - Visualizing Orbitals* 160

- 6-5 The Pauli Exclusion Principle and Electron Configurations 163
Orbital Energies and Electron Configurations 163
Hund's Rule and the Aufbau Principle 165
- 6-6 The Periodic Table and Electron Configurations 167
- 6-7 Periodic Trends in Atomic Properties 168
Atomic Size 168
Ionization Energy 170
Electron Affinity 171
- 6-8 **INSIGHT INTO** Modern Light Sources: LEDs and Lasers 173
- Focus on Problem Solving 175
Summary 176
Key Terms 176
Problems and Exercises 176a

Photo: © Cengage Learning
Charles D. Wilmer



7 Chemical Bonding and Molecular Structure 177

- 7-1 **INSIGHT INTO** Materials for Biomedical Engineering 178
- 7-2 The Ionic Bond 179
Formation of Cations 179
Formation of Anions 181
- 7-3 The Covalent Bond 184
Chemical Bonds and Energy 184
Chemical Bonds and Reactions 185
Chemical Bonds and the Structure of Molecules 186
- 7-4 Electronegativity and Bond Polarity 188
Electronegativity 188
Bond Polarity 188
- 7-5 Keeping Track of Bonding: Lewis Structures 191
Resonance 196
- 7-6 Orbital Overlap and Chemical Bonding 198
- 7-7 Hybrid Orbitals 200
- 7-8 Shapes of Molecules 202
- 7-9 **INSIGHT INTO** Molecular-Scale Engineering for Drug Delivery 209
- Focus on Problem Solving 210
Summary 211
Key Terms 211
Problems and Exercises 211a

8 Molecules and Materials 212

- 8-1 **INSIGHT INTO** Carbon 213
- 8-2 Condensed Phases—Solids 215
- 8-3 Bonding in Solids: Metals, Insulators, and Semiconductors 221



Original illustration courtesy of Raymond Schick

- Models of Metallic Bonding* 221
- Band Theory and Conductivity* 223
- Semiconductors* 224
- 8-4 Intermolecular Forces** 228
 - Forces Between Molecules* 228
 - Dispersion Forces* 228
 - Dipole–Dipole Forces* 230
 - Hydrogen Bonding* 231
- 8-5 Condensed Phases—Liquids** 233
 - Vapor Pressure* 233
 - Boiling Point* 235
 - Surface Tension* 236
- 8-6 Polymers** 237
 - Addition Polymers* 238
 - Condensation Polymers* 240
 - Copolymers* 242
 - Physical Properties* 243
 - Polymers and Additives* 244
- 8-7 INSIGHT INTO Micro-Electrical-Mechanical Systems (MEMS)** 244
 - Focus on Problem Solving 246
 - Summary 246
 - Key Terms 246
 - Problems and Exercises 246a

9 Energy and Chemistry 247

- 9-1 INSIGHT INTO Energy Use and the World Economy** 248
- 9-2 Defining Energy** 251
 - Forms of Energy* 251
 - Heat and Work* 252
 - Energy Units* 253
- 9-3 Energy Transformation and Conservation of Energy** 253
 - Waste Energy* 255
- 9-4 Heat Capacity and Calorimetry** 257
 - Heat Capacity and Specific Heat* 257
 - Calorimetry* 260
- 9-5 Enthalpy** 262
 - Defining Enthalpy* 262
 - ΔH of Phase Changes* 263
 - Vaporization and Electricity Production* 266
 - Heat of Reaction* 267
 - Bonds and Energy* 267
 - Heats of Reaction for Some Specific Reactions* 268
- 9-6 Hess's Law and Heats of Reaction** 269
 - Hess's Law* 269
 - Formation Reactions and Hess's Law* 271
- 9-7 Energy and Stoichiometry** 273
 - Energy Density and Fuels* 275
- 9-8 INSIGHT INTO Power Distribution and the Electrical Grid** 275

Focus on Problem Solving 277
Summary 278
Key Terms 278a
Problems and Exercises 278a

10 Entropy and the Second Law of Thermodynamics 279

- 10-1 *INSIGHT INTO* Recycling of Plastics 280
- 10-2 Spontaneity 281
Nature's Arrow 281
Spontaneous Processes 282
Enthalpy and Spontaneity 283
- 10-3 Entropy 283
Probability and Spontaneous Change 284
Definition of Entropy 285
Judging Entropy Changes in Processes 286
- 10-4 The Second Law of Thermodynamics 287
The Second Law 287
Implications and Applications 288
- 10-5 The Third Law of Thermodynamics 289
- 10-6 Gibbs Free Energy 291
Free Energy and Spontaneous Change 291
Free Energy and Work 294
- 10-7 Free Energy and Chemical Reactions 295
Implications of ΔG° for a Reaction 296
- 10-8 *INSIGHT INTO* The Economics of Recycling 297
Focus on Problem Solving 301
Summary 301
Key Terms 301
Problems and Exercises 301a



Thomas A. Holme

11 Chemical Kinetics 302

- 11-1 *INSIGHT INTO* Ozone Depletion 303
- 11-2 Rates of Chemical Reactions 305
Concept of Rate and Rates of Reaction 305
Stoichiometry and Rate 306
Average Rate and Instantaneous Rate 308
- 11-3 Rate Laws and the Concentration Dependence of Rates 309
The Rate Law 309
Determination of the Rate Law 311
- 11-4 Integrated Rate Laws 313
Zero-Order Integrated Rate Law 314
First-Order Integrated Rate Law 315
Second-Order Integrated Rate Law 317
Half-Life 320



Thomas A. Weller



National Park Service

- 11-5 Temperature and Kinetics 322**
Temperature Effects and Molecules That React 322
Arrhenius Behavior 324
- 11-6 Reaction Mechanisms 329**
Elementary Steps and Reaction Mechanisms 330
Mechanisms and Rate: The Rate-Determining Step 332
- 11-7 Catalysis 333**
Homogeneous and Heterogeneous Catalysts 333
Molecular Perspective of Catalysis 334
Catalysis and Process Engineering 335
- 11-8 INSIGHT INTO Tropospheric Ozone 335**
Focus on Problem Solving 338
Summary 339
Key Terms 339
Problems and Exercises 339

12 Chemical Equilibrium 340

- 12-1 INSIGHT INTO Concrete Production and Weathering 341**
- 12-2 Chemical Equilibrium 343**
Forward and Reverse Reactions 343
Mathematical Relationships 346
- 12-3 Equilibrium Constants 347**
The Equilibrium (Mass Action) Expression 347
Gas Phase Equilibria: K_p vs. K_c 348
Homogeneous and Heterogeneous Equilibria 349
Numerical Importance of the Equilibrium Expression 350
Mathematical Manipulation of Equilibrium Constants 351
Reversing the Chemical Equation 351
Adjusting the Stoichiometry of the Chemical Reaction 352
Equilibrium Constants for a Series of Reactions 353
Units and the Equilibrium Constant 354
- 12-4 Equilibrium Concentrations 354**
Equilibrium Concentrations from Initial Concentrations 355
Mathematical Techniques for Equilibrium Calculations 358
- 12-5 LeChatelier's Principle 359**
Effect of a Change in Concentration of Reactant or Product on Equilibrium 359
Effect of a Change in Pressure on Equilibrium When Gases Are Present 361
Effect of a Change in Temperature on Equilibrium 363
Effect of a Catalyst on Equilibrium 364
- 12-6 Solubility Equilibria 364**
Solubility Product Constant 364
Defining the Solubility Product Constant 365
The Relationship Between K_{sp} and Molar Solubility 365
Common Ion Effect 367
Reliability of Using Molar Concentrations 368
- 12-7 Acids and Bases 368**
The Brønsted–Lowry Theory of Acids and Bases 369

The Role of Water in the Brønsted–Lowry Theory 369
Weak Acids and Bases 370

12-8 Free-Energy and Chemical Equilibrium 374

Graphical Perspective 374

Free Energy and Nonstandard Conditions 375

12-9 INSIGHT INTO Bendable Concrete 376

Focus on Problem Solving 378

Summary 379

Key Terms 379

Problems and Exercises 379

13 Electrochemistry 380

13-1 INSIGHT INTO Corrosion 381

13-2 Oxidation–Reduction Reactions and Galvanic Cells 382

Oxidation–Reduction and Half-Reactions 382

Building a Galvanic Cell 384

Terminology for Galvanic Cells 385

Atomic Perspective on Galvanic Cells 386

Galvanic Corrosion and Uniform Corrosion 387

13-3 Cell Potentials 388

Measuring Cell Potential 388

Standard Reduction Potentials 391

Cathodic Protection 394

Nonstandard Conditions 394

13-4 Cell Potentials and Equilibrium 396

Cell Potentials and Free Energy 396

Equilibrium Constants 397

13-5 Batteries 398

Primary Cells 399

Secondary Cells 401

Fuel Cells 403

Limitations of Batteries 404

13-6 Electrolysis 404

Electrolysis and Polarity 405

Passive Electrolysis in Refining Aluminum 405

Active Electrolysis and Electroplating 406

13-7 Electrolysis and Stoichiometry 408

Current and Charge 408

Calculations Using Masses of Substances in Electrolysis 410

13-8 INSIGHT INTO Batteries in Engineering Design 411

Focus on Problem Solving 413

Summary 414

Key Terms 414

Problems and Exercises 414a



Thomas A. Holm

14 Nuclear Chemistry 415

14-1 INSIGHT INTO Cosmic Rays and Carbon Dating 416

14-2 Radioactivity and Nuclear Reactions 417



Raymond S. Brown

Radioactive Decay 417
Alpha Decay 418
Beta Decay 419
Gamma Decay 420
Electron Capture 421
Positron Emission 421

14-3 Kinetics of Radioactive Decay 422

Radiocarbon Dating 424

14-4 Nuclear Stability 426

14-5 Energetics of Nuclear Reactions 428

Binding Energy 428

Magic Numbers and Nuclear Shells 430

14-6 Transmutation, Fission, and Fusion 430

Transmutation: Changing One Nucleus into Another 430

Fission 431

Nuclear Reactors 433

Nuclear Waste 434

Fusion 436

14-7 The Interaction of Radiation and Matter 437

Ionizing and Penetrating Power of Radiation 437

Methods of Detecting Radiation 438

Measuring Radiation Dose 439

14-8 INSIGHT INTO Modern Medical Imaging Methods 440

Focus on Problem Solving 441

Summary 442

Key Terms 442

Problems and Exercises 442a

15 Soils and Soil Development 380

Major Soil Components 444

Soil Characteristics 447

Development of Soil Horizons 452

Factors Affecting Soil Formation 453

Soil-Forming Regimes 458

Soil Classification 461

Soil as a Critical Natural Resource 469

Terms for Review 470

Questions for Review 470

Consider and Respond 471

Practical Applications 471

Appendixes

- A International Table of Atomic Weights* 473
 - B Physical Constants* 475
 - C Electron Configurations of Atoms in the Ground State* 476
 - D Physical Constants of Some Common Substances* 477
 - E Selected Thermodynamic Data at 298.15 K* 478
 - F Ionization Constants of Weak Acids at 25°C* 484
 - G Ionization Constants of Weak Bases at 25°C* 486
 - H Solubility Product Constants of Some Inorganic Compounds at 25°C* 487
 - I Standard Reduction Potentials in Aqueous Solution at 25°C* 489
 - J Answers to Check Your Understanding Exercises* 492
 - K Answers to Odd-Numbered End-of-Chapter Exercises* 495
- Glossary* 519
- Index* 531

Index

Italicized page numbers indicate illustrations, page numbers followed by "t" indicate tables, those followed by "q" indicate end-of-chapter questions, and those followed by "k" indicate glossary entries.

A

- AAS, 152. *See also* Atomic absorption spectroscopy
- Abietic acids, 342t
- ABS, 242–243
- Absolute temperature, 122k
- Absolute zero
- defined, 122
 - third law of thermodynamics, 289–291, 289k, 290, 301c–301dq
- Absorbed dose, 439k, 440t
- Absorption, 334
- Acceptor level, 226k
- Accreditation Board for Engineering (ABET), 2
- Accuracy, 10k, 11
- Acetanilide, 51t
- Acetate ion, 72
- Acetates, 70t
- Acetic acid, 51t, 370
- acid ionization constant, 371t
 - concentration change in equilibrium, 360–361
 - pH of, 372–373
 - potassium hydroxide reaction with, 75
 - as weak acid, 74t
- Acetic acid molecule, 72
- Acetone
- boiling point, 235t
 - vapor pressure of, 234, 235t
- Acetylene, 51t, 111q, 301d
- Acid anhydride, 373
- Acid ionization constant (K_a), 371k, 371t
- Acid-base reactions, 73–77
- acid ionization constant, 371k, 371t
 - Bronsted-Lowry theory of acids and bases, 369
 - in nonaqueous medium, 369
 - titration, 106–107, 107
 - weak acids and bases, 370–374
- Acid(s), 368–374, 379. *See also* Acid-base reactions
- acid ionization constant, 371k, 371t
 - Arrhenius, 73, 369
 - Bronsted-Lowry, 369, 369k
 - chemical equilibrium, 368–369
 - conjugate, 370k
 - defined, 73k
 - as electrolytes, 73
 - questions regarding, 379d–379eq
 - strong, 73–74, 74t
 - titration, 106–107
 - weak, 74, 74t, 370–374
- Acrylic acid, 379dq
- Acrylonitrile, 242, 291, 379eq
- Actinides, 44k
- Activated complex, 323–324
- Activation energy (E_a), 323, 323k, 328, 329
- catalysts and, 334–335, 335
 - fusion and, 436
 - Active electrolysis, 405k, 406–407
 - Actual yield, 104k
 - Addition, 50k
 - Addition polymerization, 238, 238k, 240
 - Addition polymers, 238, 238–240
 - Additives
 - fuel, 108–109
 - gasoline, 108, 108–109
 - polymer, 244 - Adhesion, 237k
 - Adipic acid, 89dq, 240
 - Admixtures, 341–343, 341k, 342
 - chemical composition of, 342t - ADN. *See* Ammonium dinitramide
 - Adrenaline, 58dq
 - Adsorption, 334
 - Advanced recycling, 289
 - Air, 69. *See also* Atmosphere
 - Air pollution, 112–116, 120
 - fuel additives, 108–109
 - gas pressure and, 118–119
 - questions regarding, 139aq
 - volcanoes and, 124–125 - Alcohols, 51, 51t, 337t
 - Aldehydes, 51t, 337t
 - Alkali metals, 44k
 - Alkaline battery, 399, 399k, 400, 403t
 - Alkaline earth metals, 44k
 - Alkanes, 91k
 - in gasoline, 91
 - list, 92t
 - molecular structure of, 92t - Alkenes, 51t
 - Alkyl-aryl sulfonates, 342t
 - Alkylperoxyl radical, 337
 - Alkynes, 51t
 - Allene, 339eq
 - Alloys, 84, 89eq
 - Alpha decay, 418–419, 418k
 - Alpha emission, 427
 - Alpha particle, 417–418, 417k, 418, 437
 - Alpha radiation, 437, 438
 - Alpha rays, 417k
 - Alternating copolymers, 242, 242k
 - Alternative energy sources, 249, 249
 - Alternative fuels, 108–109
 - Altitude, atmospheric pressure and, 116, 116
 - Aluminum, 2–4, 78
 - ammonium perchlorate reaction with, 102–103
 - bicycle frames composed of, 25–26, 25t
 - chemical properties, 4–6
 - corrosion and, 382
 - density of, 22
 - ion formation, 180
 - ionization energy, 172t
 - physical properties, 4–6, 25, 25t
 - questions regarding, 27–27aq
 - recycling of, 297–298, 406
 - refining of, 11–12, 23–24, 24, 405–406, 406
 - representation of, 9
 - smelting of, 24, 24
 - in solid fuel booster rockets, 102–103
 - specific heat, 258t
 - sulfuric acid reaction with, 111fq
 - uses of, 5 - Aluminum-26, 442fq
 - Aluminum cans, 2–5, 5, 10–11
 - Aluminum chloride, 111dq
 - Aluminum hydroxide, 111cq
 - Aluminum ion, 37t
 - Aluminum ore
 - description of, 4, 9, 11, 23
 - digestion, 24
 - processing, 11–12, 23–25 - Aluminum oxide (alumina), 9, 9, 382
 - Aluminum sulfate, 111fq
 - Amide linkage, 240
 - Amides, 51t
 - Amines, 51t
 - 6-Aminocaproic acid, 240
 - Ammeters, 408
 - Ammonia
 - in Andrussov process, 352, 358
 - formation of, 100
 - Haber process for, 339aq, 339hq
 - industrial production of, 339aq, 339hq
 - production of, 352–353, 359
 - reaction with oxygen gas, 301g–301hq
 - reaction with sodium hypochlorite, 106
 - reaction with water, 74t, 369–370
 - synthesis of, 301gq
 - van der Waals constant, 134t - Ammonia gas, preparation of, 111aq
 - Ammonium chloride, 139bq
 - Ammonium dinitramide, 139cq
 - Ammonium ion, 52t
 - Ammonium nitrate, 82
 - synthesis of, 72 - Ammonium perchlorate, 102–103
 - Ammonium sulfate, 111dq
 - Amorphous silica, 190, 193
 - Amoxicillin, 339cq
 - Ampere (unit), 14t
 - Amphoteric, 369k
 - Amplitude, 143k, 144
 - Amp-meters, 408
 - Amu. *See* Atomic mass unit
 - Andrussov process, 352, 358
 - Anions, 36k
 - common, 52t
 - formation, in ionic bonding, 181, 181–184, 183, 211
 - nonmetals and, 45

- Anode, 385k
 in lithium-ion battery, 412–413, 413
 sacrificial, 394, 394k
 standard reduction potentials and, 391, 392
- Antibonding molecular orbital, 223k
- Antineutrino, 419
- Aqueous reactions, 71–73
- Aqueous solutions, 63, 67–77
 in chemical equations, 63, 71–73
 defined, 67k
 electrolytes, 71, 72
 solubility guidelines for ionic compounds, 70t
- Archimedes, 27cq
- Argon
 electron configuration, 166
 ionization energy, 172t
 van der Waals constant, 134t
- Arrhenius, Svante, 324, 369
- Arrhenius acids and bases, 73, 369
- Arrhenius behavior, 324–329
- Arrhenius equation, 324, 324–325, 324k, 327
- Arsenic, 111d–111eq, 227
 reaction with bromine, 111aq
- Aspirin, 339cq
- Atactic polymers, 239, 240k
- Atactic polypropylene, 239
- Atmosphere
 nuclear reactions in, 430
 ozone depletion, 302, 303–305, 305, 339q
 ozone in, 335–338, 339f–339gq
- Atmosphere (unit), 118k
- Atmospheric pressure, 116, 116
- Atomic absorption spectroscopy (AAS), 142, 142k, 147, 176dq
- Atomic fingerprint, 142
- Atomic mass, 34, 34–36
 questions regarding, 58aq
 relative, 34
- Atomic mass unit, 32k
- Atomic number, 32k, 430
 atomic radius as function of, 169
 beta decay and, 419
 density as function of, 43, 43
 electron affinity *v.*, 173
- Atomic perspective, on galvanic cells, 386–387
- Atomic properties, 168–173, 176cq
- Atomic radius, 169, 169
- Atomic size, 168–170
- Atomic spectra, 152–155, 152k, 176, 176a–176bq
- Atomic structure, 31–36. *See also* Orbital(s)
 basic concepts, 31, 31–32
 Bohr atom, 154–155, 155, 155k
 quantum mechanical model, 155–163, 176bq
 questions regarding, 58aq
- Atomic symbols, 33–34, 34t
- Atomic weight, 34–36, 36t
- Atom(s), 6k, 28, 38
 Bohr model of, 154–155, 155, 155k
 components of, 31–32
 isotopes, 32–33, 32k
 mass number, 32k
 quantum mechanical model of, 155–163
 word origin, 6
- Aufbau principle, 165–167, 165k
- Automobiles. *See also* Gasoline
 catalytic converters, 109, 333–334, 334
 exhaust, 109, 333–334
- Average rate of reaction, 308–309, 308k, 309
- Average speed, 131k
- Aviation gasoline, energy density of, 275t
- Avogadro's law, 119k
- Avogadro's number, 77–78, 77k, 89
- Azomethane, 339aq
- B**
- Background radiation, 439k
- Balanced chemical equations, 66–68, 68, 94–99
- "Ball-and-stick" model, 47
- Band energy diagrams, 224
- Band gap, 224k
- Band of stability, 426–427, 426k
- Band theory, 222–223, 222k, 246
 conductivity and, 223–224
- Barium-141, 431
- Barium carbonate, 76
- Barium chloride, 76
- Barium hydroxide, 74t
- Barium sulfate, 70, 379dq
- Barometer, 117, 117k
- Barrel plating, 407, 407
- Base ionization constant (K_b), 371k
- Base(s), 368–374, 379
 Arrhenius, 73, 369
 base ionization constant, 371k
 Bronsted-Lowry, 369
 chemical equilibrium, 368–369
 conjugate, 370k
 defined, 73k
 as electrolytes, 73
 questions regarding, 379d–379eq
 strong, 73–74, 74t
 titration, 106–107
 weak, 74, 74t, 370–374
- Batch reaction, 355
- Batteries, 398–404, 398k
 alkaline, 399, 399k, 400, 403t
 description of, 398–399
 dry cell, 399
 in engineering design, 411–414
 fuel cells, 403–404, 403k
 lead-acid storage, 402, 402–403, 402k, 403t
 limitations, 404
 lithium, 400, 400, 400k, 403t
 lithium ion, 403t
 lithium-ion, 412–413, 412k, 413
 nickel-metal-hydride, 401, 401k, 402, 403t
 primary cells, 399–401, 399k, 403t
 questions regarding, 414dq, 414e–414fq
 secondary, 399k, 401–403, 403t
 zinc-air, 401, 401, 403t
- Battery acid, 27cq
- Bauxite, 4, 9, 9, 27cq
 processing of, 23, 23–24, 24
- bcc. *See* Body-centered cubic structure
- Beach Corrosion Test Site, 381
- Becquerel (unit), 422k
- Bendable concrete, 376–378
- Bent molecule, 205t
- Benzene, 336
 resonance structure, 197, 197
- Benzopyrene, 111fq
- Beryllium-8, 425t
- Beta decay, 419–420, 419k, 422
- Beta particle, 418, 418k, 437–438
- Beta radiation, 438
- Beta rays, 417k
- Beverage cans. *See* Aluminum cans
- BHET. *See* bis-(2-Hydroxyethyl) terephthalate
- Bicycle frames, 25–26
- Bimolecular steps, 330k, 330t
- Binary compounds, 52–55, 52k
- Binary ionic compounds, 179
- Binding energy, 150–151, 150k, 428–429, 428k, 429
- Biocompatibility, 178k
 bond polarity and, 190, 191
- Biocompatible coatings, 179
- Biofuel engineering, 60–62
 questions regarding, 89aq
- Biofuels, 61k, 339fq
 economic assessment of, 62, 62
- Biomass, 60–62, 60k
 human use of, 61
 production/conversion of, 79, 80–82, 85–88
 questions regarding, 89aq
- Biomaterial, 177
- Biomedical engineering, 177–179, 209–211, 211aq, 211cq
- Bismuth selenide, 111fq
- Block copolymers, 242, 242k
- Blood alcohol levels, 111dq
- Blood cell, 190, 191
- BNCT. *See* Boron neutron capture therapy
- Body-centered cubic structure, 216–217, 216k, 217, 219
- Boeing 787 Dreamliner battery, 412–413
- Bohr, Niels, 154
- Bohr atom, 154–155, 155, 155k
- Bohr radius, 160
- Boiling point, 235–236, 235t, 246
 intermolecular forces and, 232
 normal, 235k, 235t
- Boltzmann constant, 286
- Boltzmann distribution, 234, 323, 327
- Bomb calorimeter, 260
- Bond. *See* Chemical bonds
- Bond energy, 185k, 186t
- Bond length, 185k
- Bond polarity, 188–191, 192, 211a–211kq
- Bonding molecular orbital, 223k
- Bonding pair, 187k, 204
- Bone cement, 178–179
- Booster rockets, 102–103
- Borates, 342t
- Boron
 atomic weight, 36t
 electron configuration, 165
 ionization energy, 172t
 isotopes, 57
- Boron hydride, 139bq
- Boron neutron capture therapy, 442eq
- Bose-Einstein condensates, 6
- Boundary, 254k
- Boyle, Robert, 119
- Boyle's law, 119k
- Branched polyethylene, 56, 56, 57
- Brass, 69
- Bridges, concrete, 340
- British thermal unit, 249k, 253
- Brittle material, 376–377
- Bromide ion, 37t

- Bromides, 70t
 Bromine, 43, 78
 reaction with arsenic, 111aq
 Bromine pentafluoride, 207
 Bronsted, Johannes, 369
 Bronsted-Lowry theory of acids and bases, 369
 role of water in, 369–370
 Bru (unit), 249k, 253
 Buckminsterfullerene, 213
 Buoyancy, 22
 Burning. *See* Combustion
 Butadiene, 242
 Butane, 92t
 formation of, 290–291
 n-Butane, 235t
 Butanoic acid, 371t
 Butanol, 81
 1-Butene, 339eq
 cis-2-Butene, 339eq
- C**
- Calcium, precipitating hydroxide ions with, 351
 Calcium carbonate, 70, 75, 89dq, 111eq,
 127–128, 341, 349, 350, 363
 Calcium chloride, 342t
 Calcium fluoride, 58eq, 365
 Calcium formate, 342t
 Calcium hydroxide, 74t, 350, 352, 364–365, 367
 Calcium ion, 52t
 Calcium oxide, 23, 127, 183, 347
 Calcium phosphate, 179, 193, 366
 Calcium silicate, 179
 Calcium sulfate, 79, 111eq
 Calorie (energy unit), 253k
 Calorimeters, 260
 bomb, 260
 Calorimetry, 257k, 260–262, 278
 questions regarding, 278bq, 278dq
 Cancer, radiation treatment for, 440
 Candela (unit), 14t
 Candle wax, 339aq
 Capacitance manometer, 135–136, 136, 138
 Carbohydrates, 60
 Carbon. *See also* Organic chemistry
 atomic mass, 34, 34–35
 atomic number, 32, 34
 atomic symbol, 34t
 atomic weight, 36t
 biomass and, 60
 covalent bonding, 49
 crystal structure, 213–215
 detected in X-ray fluorescence, 147
 diamond, 213–214
 double bond, 50, 187
 dry ice, 22–23
 electron configuration, 165
 flow among reservoirs, 87, 88
 fullerenes, 213
 graphite, 213, 214
 ionization energy, 172t
 isotopes, 32–33, 34–35, 427
 Lewis symbol, 187
 mass spectrum, 33, 33
 molar mass, 78
 nanotubes, 214, 215
 phase diagram, 213–214, 214
 questions regarding, 246aq
 single bond, 187
 triple bond, 187
 Carbon-11, 422
 Carbon-12, 33, 33, 34, 35, 424–425
 Carbon-13, 33, 35
 Carbon-14, 33
 beta decay of, 419
 emission of gamma radiation and decay
 of, 420
 formation of, 430
 half-life of, 423–424, 425t
 radiocarbon dating, 416–417, 424–425, 442
 Carbon atom
 hybridization of, 201, 201
 structure of, 220
 Carbon dating, 416–417, 442
 Carbon dioxide, 89eq
 in air, 113, 113t
 chemical bonds, 42
 combustion of gasoline and emission of, 98
 as compressed gas, 246c–246dq
 dissolution in water, 361
 dry ice, 22–23
 as greenhouse gas, 87
 mass, 122–123
 Maxwell-Boltzmann distribution, 130, 130
 removal from gas, 127–128
 from sodium bicarbonate and hydrochloric
 acid, 126–127
 van der Waals constant, 134t
 Carbon dioxide capture, 211dq
 Carbon dioxide scrubbers, 111eq
 Carbon disulfide, 246cq
 Carbon fiber, 214
 Carbon fiber composites, 26
 Carbon monoxide, 268
 combustion of octane and, 93, 93–94, 94
 Carbon sequestration, 87–89, 87k
 Carbon tetrachloride, 246bq
 Carbonates, 52t, 70t
 Carbonation, 343, 373–374, 374
 Carbon-carbon bonds, 187, 187t
 Carbon-carbon double bond, 50
 Carbonic acid, 371t
 Carboxylic acids, 51, 51t
 Carnallite, 79
 Carnot cycle, 283, 283–284
 Catalysis, 333–335, 339, 339fq
 molecular perspective of, 334–335
 process engineering and, 335
 Catalyst poisons, 339bq
 Catalysts, 40, 333k
 chemical equilibrium and, 364
 effect on equilibrium, 364
 heterogeneous, 333–334, 333k
 homogeneous, 333–334, 333k
 Ziegler-Natta, 240
 Catalytic converters, 109, 333–334, 334
 Cathode, 385k
 in lithium-ion battery, 412–413, 413
 standard reduction potentials and, 391, 392
 Cathodic protection, 394, 394k
 Cations, 36k, 54
 common, 52t
 formation, in ionic bonding, 181, 181–184,
 183, 211
 metals and, 45
 transition metals and, 47, 47
 Caustic soda, 23, 24
 ccp structures. *See* Cubic close-packed structures
 Cell adhesion, 179
 Cell notation, 385, 385k
 Cell potential, 387k, 388–396
 corrosion and, 387–388
 description of, 387
 equilibrium and, 396–398
 equilibrium constants and, 397–398
 free energy and, 396–397
 measuring of, 388–391, 390
 nonstandard conditions, 394–396
 questions regarding, 414a–414dq
 standard reduction potentials, 391–394,
 391k, 391t, 392
 Celsius scale, 15, 16, 16
 Cement
 Portland, 341–342, 341k, 347
 Cesium-137, 442fq
 Cesium, radioactive isotopes, 442c–fq
 CFCs. *See* Chlorofluorocarbons
 Chain reaction, 433, 433, 433k
 Chain termination, 239
 Chalcopyrite, 111eq
 Chapman, Sydney, 304
 Chapman cycle, 304, 304, 304k, 309, 329–330,
 332–333
 Charge, 408–409
 Charge-to-mass ratio, 33
 Charles, Jacques, 119
 Charles's law, 119k
 Chart of the nuclides, 426, 426–427, 426k, 442
 Chemical bonds, 38–42, 38k, 212, 246
 biomedical applications, 178–179, 209–211,
 211aq, 211eq
 bond energy, 185k
 bond length, 185k
 bond polarity, 188–191, 191, 211, 211a–211bq
 chemical reactions, 185–186
 covalent bonds, 40, 41–42, 41k, 184–188,
 184k, 211, 211aq
 description of, 40–42
 double bond, 187k
 electronegativity, 188, 189, 211a–211kq
 energy and, 184–185, 184–185, 186t, 267–268
 hydrogen bonding, 231–233, 233
 hydrogen bonds, 246
 intermolecular forces, 228–233, 228k, 246
 ionic bonds, 40–41, 40k, 41, 42, 179–184,
 211, 211aq
 Lewis structures, 191–197, 211, 211kq
 metallic bonds, 40, 41, 41k, 42
 in metals, 221–223, 222
 molecular structure and, 186–188
 octet rule, 186–187
 orbital overlap and, 198–200, 198k, 199, 211kq
 pi bonds, 199, 199k, 209
 polar bonds, 189k
 resonance, 196–197, 197
 sigma bonds, 199, 199k, 209
 single bond, 187
 in solids, 221–228, 246
 triple bond, 187k, 188
 valence bond model, 199–200
 valence electrons and, 166

- Chemical calculations. *See also* Stoichiometry
 Avogadro's number, 79–80
 dilution, 86–87
 empirical and molecular formulas, 39
 molar mass, 79–87
 molarity, 84–86
 mole ratio, 78k, 95–99, 96
 moles, 80–87
 ratios, 19–22, 95–99
 STP conditions, 127–128
- Chemical changes, 7–8
- Chemical dynamics, 330
- Chemical energy, 252k
- Chemical equations, 62k. *See also* Chemical equilibrium; Chemical reactions; Stoichiometry
 aqueous reactions, 71–73
 balancing, 63–68, 66–68, 68, 94–99
 interpreting, 77
 mole ratio, 78k
 mole ratios from balanced, 95–99, 96
 molecular equation, 72k
 net ionic equation, 73k
 questions regarding, 89a–89bq
 reversing, 351–352
 total ionic equation, 73k
 two-way arrow, 74
 unbalanced, 64
 writing, 62–63
- Chemical equilibrium, 340–379
 acids and bases, 368–374, 369k, 370k, 379, 379d–379eq
 adjusting stoichiometry of, 352–353
 catalysts and, 364
 common ion effect, 367–368, 367k
 concentration changes and, 359–364
 concrete, 341–343, 376–378, 379eq, 379q
 dynamic equilibrium, 345k, 379
 electrochemistry, 397–398
 equilibrium concentrations, 354–359, 379k–379eq
 equilibrium constants, 347–354, 347k, 351, 353–354, 379, 379a–379kq
 equilibrium expression, 347–348, 347k, 350–351, 379
 forward reactions, 343–345
 free energy and, 374–376, 375, 379, 379eq
 gas phase equilibria, 348–349
 heterogeneous equilibrium, 349–350, 349k
 homogeneous equilibrium, 349–350, 349k
 LeChatelier's principle, 359–364, 359k, 379, 379eq
 mathematical relationships, 346–347
 molar concentrations, reliability of using, 368
 molar solubility, 365–367, 365k
 pressure changes and, 361–362
 rate laws and, 346–347
 reactant changes and, 359–361
 reverse reactions, 343–345
 reversing the chemical equation, 351–352
 solubility equilibria, 364–368, 379dq
 solubility product constant, 364–365, 365k, 379
 temperature changes and, 363–364
- Chemical formulas, 39k
 description of, 39–40
 questions regarding, 89a–89bq
 rules for, 39–40
- Chemical kinetics, 302–339
 activation energy, 323k, 328
 Arrhenius behavior, 324–329
 catalysis, 333–335, 339, 339fq
 differential rate law, 309–313, 309k, 319, 339a–339eq
 half-life, 320–322, 320k
 integrated rate laws, 313–22, 314k, 339, 339e–339eq
 order of the reaction, 310, 310k
 ozone depletion, 302, 303–305, 305, 339q
 of radioactive decay, 422–425
 rate constant, 310–311
 rate-determining step, 332–333, 332k
 reaction mechanisms, 329–333, 330k, 339, 339e–339fq
 reaction rates, 305–309, 306k, 339–339aq
 temperature and, 322–329, 339, 339eq
 tropospheric ozone, 335–338, 339f–339gq
- Chemical nomenclature, 51–55, 52k, 58
 binary compounds, 52–55, 52t
 covalent compounds, 52–53
 ionic compounds, 53–55, 54t
- Chemical properties, 5k
- Chemical reactions, 185–186. *See also* Chemical equations; Chemical equilibrium; Chemical kinetics; Thermodynamics
 acid-base reactions, 73–77
 activated complex, 323–324
 activation energy, 323, 323k, 328
 addition polymerization, 238, 238k, 240
 addition reactions, 50
 aqueous solutions, 63, 67–77
 Arrhenius behavior, 324–329
 Avogadro's number, 77–78, 89
 catalysis, 333–335, 339, 339fq
 chemical bonds, 185–186
 condensation polymerization, 240–242
 depolymerization, 289, 296–297
 elementary, 330–332, 330t
 endothermic, 263k, 279, 363, 364t
 exothermic, 263k, 323, 363, 364t
 first-order, 315–317, 315k, 316–317
 formation reactions, 268, 271–273
 forward and reverse reactions, 343–345
 free energy and, 295–297, 295t
 half-reactions, 382–384, 414
 heat and, 267–268
 heat of reaction, 267, 268, 269–273
 involving gases, 126–128
 irreversible, 295
 limiting reactants, 99–103
 mole, 80–87
 neutralization, 75
 order of, 310, 310k
 oxidation-reduction, 382–388, 414
 percentage yields, 104–105
 photochemical reaction, 63, 114
 polymerization (*See* Polymerization)
 precipitation, 75–77, 349–350, 352
 rate-determining step, 332–333, 332k
 rates of reactions, 305–309, 306k, 339–339aq
 reaction mechanisms, 329–333, 330k, 339, 339e–339fq
 reversing, 351–352
 second-order, 317–320, 317k
 side reactions, 104
 spontaneity, 281–283
 stoichiometry (*See* Stoichiometry)
 STP conditions, 127–128
 theoretical yield, 104–105
 titration, 106–107, 107
 zero-order, 314–315, 314k, 315
- Chemical vapor deposition (CVD), 214
- Chemistry
 as "central science," 4
 conceptual problems, 22–23
 as empirical science, 10, 27
 inorganic, 46–47, 46k, 58
 interplay with engineering, 2
 macroscopic perspective, 4–6, 4k, 27
 microscopic (particulate) perspective, 4k, 6–9, 27
 models, 12–13, 12k, 27
 numbers and measurements, 13–19
 observations, 10–12, 27
 organic, 46k, 47–51, 58
 problem solving in, 19–25
 symbolic perspective, 4k
 symbolic representation, 9, 9
 visualization in, 23–25
- Chlorate, 54t, 70t
- Chloride ion, 37t
- Chlorides, 70t
- Chlorine, 43, 46–47
 atomic weight, 35, 36t
 ionization energy, 172t
 ions, 38
 isotopes, 35, 58kq
 oxyanions, 54, 54t
- Chlorine gas, reaction with phosphorus trichloride, 357–358
- Chlorite, 54t
- Chloroethylene, 111aq
- Chlorofluorocarbons, 111fq, 139fq, 192–193, 302, 322, 333
- Chlorophyll, 89eq
- Chromate ion, 72
- Chromium, 111e–111fq, 150, 173, 396–397
- Cinnabar, 379dq
- Climate change, carbon sequestration and, 87–89
- Close-packed structures, 216, 216
- Coal, 249, 275t
- Coating, rate of, 411
- Cobalt-60, 442kq
- Coherent light, 174k
- Cohesion, 237k
- "Cold packs," 278eq
- Collision energy, 327, 328, 329
- Collision geometry, 324
- Color of light, 143
- Combustion, 5k, 186
 of gasoline, 98, 99–100, 105, 252
 heats of, 268
 of hydrocarbons, 93, 274
 incomplete, of alkanes, 91
 limiting reactant, 99–100
 of methane, 64, 95–96, 267, 270
 of octane, 93–94
 percentage yield, 105
 of propane, 64–66
- Common ion effect, 367, 367–368, 367k
- Compound nucleus, 430–431, 430k

- Compound(s), 38–42, 39k, 58, 59. *See also*
 Chemical nomenclature; Molecules
 binary, 52, 52k
 chemical bonding, 39, 40–42
 covalent, 52–53
 fluorine (*See* Fluorine compounds)
 ionic (*See* Ionic compounds)
- Computer chips, 438
- Concentration
 chemical equilibrium and changes in, 359–364
 dilution, 86–87
 molarity, 84–86
 rate laws, 309–313
 of solutions, 69k
- Conceptual chemistry problems, 22–23
- Concrete, 364
 bendable, 376–378
 weathering and production of, 341–343, 342,
 373–374
- Condensation, 344, 344–345
 of water, 264t
- Condensation polymers, 240, 240–242, 240k
- Condensed phases, 215–221. *See also* Liquid(s);
 Solid(s)
- Conduction band, 224k, 225
- Conductivity, 223–224
- Conjugate acid, 370k
- Conjugate acid-base pairs, 370k
- Conjugate base, 370k
- Conservation of energy, 253–255, 278
 questions regarding, 278a–278bq
- Conservation of matter, 63k
- Constructive interference, 198
- Contact process, 379fj
- Control rods, 434, 434k
- Control substations, 276, 277
- Coordination number, 219, 219k
- Copolymers, 242, 242–243, 242k
 alternating, 242, 242k
 block, 242, 242k
 graft, 242, 242k
 random, 242
- Copper, 58aq, 78, 89eq
 in galvanic cell, 392
 silver nitrate reaction with, 383, 383–384
 silver plating and, 407
 specific heat, 258t
- Copper-64, 442fj
- Copper chloride, 110, 110
- Copper plating, 409
- Copper sulfate, aqueous solutions of, 69
- Copper(I) ion, 52t
- Copper(II) ion, 52t
- Copper(II) sulfate, 384
- Core electrons, 166k
- Corn stover, 86
- Corrosion, 5, 381, 381k, 414
 crevice, 382k
 description of, 381–382
 electroplating and, 407
 galvanic, 382k, 387–388, 392–393
 prevention of, 394, 407
 rust, 380
 space program and, 381
 uniform, 382k, 387–388
- Cosmic rays, 416–417, 416k, 442aq
- Coulomb potential, 156
- Coulomb (unit), 32
- Coulomb's law, 37, 37k, 154, 427
- Covalent bonds, 41–42, 41k, 184k, 211
 description of, 184–188, 211
 octet rule, 186–187
 polar, 189–190
 questions regarding, 211aq
 in silicon-based polymers, 46
- Covalent compounds, naming, 52–53
- Crevice corrosion, 382k
- Criteria pollutants, 114k
- Critical mass, 433k
- Cross-links, 243–244
- Cryolite, 24, 111dq, 406
- Cryptomeridol, 83
- Crystal structure
 coordination number, 219, 219k
 packing efficiency, 215–217, 215k, 216–217
 periodic table and, 219–220, 220
 third law of thermodynamics, 289
- Crystalline polyethylene, 293–294
- Crystalline solids, 246
- Cubic close-packed structures, 216, 217
- Cubic lattice, 217
- Cumene, 89dq
- Curie (unit), 422k
- Curiosity rover, 140
- Current, 408–409
- Cyanide, 52c, 407
- Cyanide solutions, 411
- Cyberattacks, electrical grid and, 277
- Cybersecurity, 277
- Cyclohexane, 301gq
- D**
- d block, 168
- d orbital, 159, 161, 161–162
- Dacron, 240, 241
- Dalton, John, 124
- Dalton's law of partial pressures, 124k
- Daughter, in radioactive decay, 418
- D/D/T, degradation of, 339eq
- Decane, 92t
- Decay
 positron, 421
 radioactive (*See* Radioactive decay)
- Decay constant, 423k
- Decay heat, 434k
- Decay series, 427, 427, 427k
- Deductive reasoning, 11–12, 11k
- Degree of polymerization, 239k
- Delta symbol, 254
- Denarium, 27eq
- Dendrochronology, 424
- Density, 5k, 25t
 as function of atomic number, 43, 43
 periodic table and, 43–44, 44
 variation in, 173
- Depolymerization, 289, 296–297
- Derived units, 15
- Desorption, 334
- Destructive interference, 198
- Deuterium, 436
- Diamond
 crystal structure of, 219–220, 220
 physical properties of, 213
 structure of, 213–214
- Diatomic oxygen, 304
- Diborane, 89aq, 102
- Dichlorodifluoromethane, 192–193
- Diesel fuel, energy density of, 275t
- Diethyl ether, 51t, 301eq
- Diethylaluminum chloride, 40
- Differential rate law, 309–313, 309k, 339,
 339a–339eq
- Diffraction, 153k
- Digestion (aluminum ore), 24
- Dilute, 69
- Dilution, 86–87, 86k
- Dimensional analysis, 20k
- Dimethyl terephthalate (DMT), 280, 280
- 2,6-Dimethylphenol, 49–50
- 2,2-Dimethylpropane, 91
- Dinitrogen monoxide, 53
- Dinitrogen pentoxide, 53, 308
 decomposition of, 331–332, 339eq
- Dinitrogen tetroxide, 53, 359, 360, 361, 362,
 363, 363
- Dinitrogen trioxide, 53
- Dipole, 189k
- Dipole moment, 229
- Dipole-dipole forces, 230, 230, 246
- Dispersion forces, 228–230, 228k, 229, 246
- Dissociation, 71
 of hydrochloric acid, 74
 of sodium hydroxide, 74
 of strong acid, 73–74
 of strong base, 73–74
- Dissociation reaction, 71k
- Dissolving, 69. *See also* Solutions
- Distance units, 14t
- Distribution function, 129–130, 129k
- Distribution substation, 276, 276
- Disulfur dichloride, 111dq
- DNA, hydrogen bonds in, 231
- Donor level, 225k
- Doping, 225, 225, 225k, 246dq
- Dose
 absorbed, 439k, 440t
 equivalent, 439k, 440t
 measuring radiation, 439–440, 440t
- Dosimeter, 439, 439, 439k
- Double bonds, 187k, 208
- Drug delivery, molecular scale engineering for,
 209–211, 211eq
- Dry cell, 399
- Dry ice, 22–23
- Ductile, 221k
- Ductile material, 377
- Dynamic equilibrium, 235k, 345k, 379
- E**
- Earth, interactions of human society with, 3
- ECC. *See* Engineered cementitious composites
- Economic growth, energy use and, 248, 248
- Economics of recycling, 297–301, 301eq
- Edison, Thomas, 404
- Effective nuclear charge, 164–165, 164k
- Einstein, Albert, 149
- Einstein's equation, 428–429, 442
- Elastic modulus, 25b, 25t
- Elasticity, of polymers, 244
- Electric charge, 32, 37, 58
- Electric current unit, 14t

- Electric field, 143, 144
 Electric potential, direction of, 390, 390
 Electric power plant, 266
 Electrical conductivity, metals and, 41
 Electrical energy, 252
 Electrical grid, 275–278, 275k, 276, 278c
 Electricity production, 266, 266–267
 energy use and, 249–250
 Electrochemical series, 391
 Electrochemistry, 380–414, 385k. *See also*
 Oxidation-reduction reactions
 batteries (*See* Batteries)
 cell potential (*See* Cell potential)
 chemical equilibrium and
 corrosion (*See* Corrosion)
 electrolysis (*See* Electrolysis)
 electromotive force, 387k
 equilibrium constants, 397–398, 398
 Faraday constant, 395k
 galvanic cell, 384, 384–387, 385k, 414aq
 galvanic corrosion (*See* Galvanic corrosion)
 half-reactions, 382–384, 383k, 414
 Nernst equation, 394–395, 394k
 oxidation-reduction reactions, 382–384,
 382k, 414, 414aq
 standard hydrogen electrode, 389, 389–390, 389k
 standard reduction potential, 391–394,
 391k, 391t
 Electrodes, 385k
 Electrolysis, 8, 8, 404–407, 405k, 414
 active, 405k, 406–407
 aluminum refining, 405–406, 406
 description of, 404–405
 electroplating, 406–407, 407, 407k
 masses of substances used in calculations,
 409–410
 passive, 405–406, 405k
 polarity and, 405, 405
 questions regarding, 414d–414eq
 stoichiometry and, 408–410, 414eq
 Electrolytes, 71k, 72
 Electromagnetic spectrum, 143–152, 143k, 176aq
 Electromotive force, 387, 387k
 Electron affinity, 171–173, 171k, 173
 ion formation and, 179, 181
 Electron capture, 421k
 Electron configuration, 165, 165k, 176
 orbitals, 163–165
 periodic table and, 167–168
 questions regarding, 176b–176c
 rules for determining, 165–167
 Electron density plots, 162
 Electron pairs, 211
 molecular shape and, 203t, 205–206t
 Electron sea model, 42, 222, 222, 222b, 246
 Electron volts (unit), 416
 Electronegativity, 188–190, 188k, 211a–211k
 Electronegativity values, 188, 189
 Electron(s), 31, 31k, 58
 binding energy, 150–151
 in Bohr model, 154–155, 155
 bonding pair, 204
 chemical bonds, 40–41, 41
 configuration (*See* Electron configuration)
 core, 166k
 excited state, 155k
 lone pair, 204
 mass, 32
 in metallic bonding, 41
 orbitals, 155, 159–165
 Pauli exclusion principle, 163k
 in quantum model of atom, 155, 155
 spin paired, 163k
 spin quantum number, 163
 valence, 166k
 Electroplating, 394, 406–407, 407k
 flash, 408
 Element number 126, 430
 Elemental analysis, 82–84, 82k
 Elementary steps, 330–332, 330k, 330t
 Elements, 6k. *See also* Periodic table
 atomic symbols, 33–34, 34t
 isotopes, 32–33, 32k
 representative (main group), 44k
 superheavy, 430
 EMF. *See* Electromotive force
 Empirical formula, 39k
 Endothermic reactions, 263k, 279, 363, 364t
 Energetics of nuclear reactions, 428–430
 Energy
 activation, 323, 323k, 328, 329
 batteries (*See* Batteries)
 binding, 150–151, 150k
 biofuels, 61, 62
 chemical, 252k
 chemical bonds and, 184–185, 184–185,
 267–268, 278
 conservation, 253–255, 278, 278a–278k
 conversion, 255, 256t, 278
 defining, 251–253
 efficiencies, 255, 256, 256t
 electrical, 252
 first law of thermodynamics, 255, 278
 forms, 252
 free (*See* Free energy)
 fuels, 91–94, 108–109
 heat and work, 252, 278
 internal, 251–252, 251k
 ionization, 170, 170–171, 170k, 172t
 kinetic (*See* Kinetic energy)
 lattice, 183k
 mechanical, 252
 nuclear, 252
 photon, 150
 potential, 156–157 (*See also* Potential energy)
 questions regarding, 278aq
 radiant, 252
 resonance and, 197
 second law of thermodynamics, 287–289
 stoichiometry and, 273–275
 thermochemical equation, 267–268
 third law of thermodynamics, 289–291
 transformation, 253–255, 278a–278b
 units, 15, 253
 waste, 255, 256, 256t
 Energy density, 61, 275, 275k, 275t
 in batteries, 403
 Energy economy, 247k
 Energy use
 energy sources, 249
 questions regarding, 278aq
 U.S. production and consumption, 248–251,
 249–250
 world economy and, 248–249, 248–251
 Engineered cementitious composites, 377, 377
 Engineering
 defined, 2
 problem solving in, 19–25
 Enhanced oil recovery, 88
 Enthalpy, 262–268, 263k, 278
 bonds and energy, 267–268
 defining, 262–263
 ΔH of phase changes, 263–266
 heat of reaction, 267, 268
 questions regarding, 278bq
 spontaneous processes and, 283
 vaporization and electricity production, 266,
 266–267
 Enthalpy change, 278
 Enthalpy diagram, 269k, 270
 Enthalpy of formation
 enthalpy change for chemical reaction and,
 271, 271–272
 Enthalpy-driven processes, 293k
 Entropy, 283–287, 283k
 changes, in processes, 286–287, 292, 292t
 definition, 285–286, 301
 description of, 283, 283–284
 questions regarding, 301b–301c
 second law of thermodynamics, 287–289,
 287k, 301c
 third law of thermodynamics, 289–291,
 289k, 290, 301c–301d
 Entropy-driven processes, 293k
 Environmental Protection Agency, 112, 114,
 135, 336
 EOR. *See* Enhanced oil recovery
 Equations
 Arrhenius, 324, 324–325, 324k, 327
 chemical (*See* Chemical equations)
 Einstein's, 428–429, 442
 empirical, 39
 molecular, 72k
 net ionic, 73k
 Schrödinger, 155–158
 thermochemical, 267–268
 total ionic, 73k
 van der Waals, 133, 139
 Equilibrium, dynamic, 235k. *See also* Chemical
 equilibrium
 Equilibrium calculations, 358–359
 Equilibrium concentrations, 354–359,
 379b–379c
 Equilibrium constants, 347–354, 347k,
 348–349, 351, 353–354, 379, 379a–379k,
 397–398, 398
 Equilibrium expression, 347–348, 347k,
 350–351, 379
 Equivalent dose, 439k, 440t
 Error
 random, 10k
 systematic, 10–11, 10k
 Ester linkage, 240
 Etching, 245, 245k
 Ethane, 92t, 235t
 Ethanol, 51, 51t, 81, 89aq, 246c
 as gasoline additive, 109
 heat of formation of, 272–273
 production, 59
 Ethers, 51t
 Ethyl group, 40

- Ethylene, 51t
 formulas, 39, 39
 polymerization of, 55-57, 56
 structural formula, 55
- Ethylene glycol, 240
 in PET synthesis, 280, 280
- Europium, 58dq, 246aq
- Evaporation, 344, 344-345
- Excited state, 155k
- Exothermic reactions, 263k, 323, 363, 364t
- Explosives, 72
- Exposure, radiation, 439k, 440t
- F**
- f*block, 167
- Face-centered cubic structure, 216k, 217, 219
- Factor-label method, 20k
- Fahrenheit scale, 15-16, 16
- Faraday, Michael, 395
- Faraday constant, 395k
- Fatty acids, 342t
- fcc structure. *See* Face-centered cubic structure
- Feedstock chemicals, 81-82
- Feedstock recycling, 289
- Fermi level, 224
- Ferrous metals, 34
- Film-badges, 439, 439
- First law of thermodynamics, 255k, 278
- First-order integrated rate law, 315-317, 316-317
- First-order reaction, 315-317, 315k, 316-317
 half-life, 320-321
 radioactive decay, 321
- Fission, 429k, 430, 431-433, 442c-442dq
- Flash electroplating, 408
- Fluorescence, 142-143
- Fluoride ion, 37t, 182
- Fluorides, 70t
- Fluorine, 43, 301gq
 combined with hydrogen, 43
 electronegativity of, 188-189, 189
 reaction with nitrogen dioxide, 339hq
 reaction with xenon, 339gq
- Fluorine-18, 425t, 442fq
- Fluorine compounds
 bond polarity, 188, 189-190
 chlorofluorocarbons, 111f, 139f, 192-193, 302, 322, 333
 Freon-12, 111d, 111f, 322
 PTFE, 186, 294
 Teflon, 186
- Fluorine-fluorine bond, 187
- Flux, 406
- Fly ash, 341-342
- Force, coulombic, 37, 37
- Formaldehyde, 51t, 66, 93
 boiling point, 235t
 burning of, 67-68
- Formation reactions, 268k
 Hess's law and, 271, 271-273
- Formic acid, 339hq, 371t
- Formula unit, 41k
- Forward reactions, 343-345
- Fossil fuels, 249-250, 249-251
 carbon flow and combustion of, 87, 88
 energy densities of, 275, 275t
- Fourier Transform Infrared spectrometer, 147
- Free energy, 301, 301eq
 cell potentials and, 396-397
 chemical equilibrium and, 374-376, 375, 379, 379eq
 chemical reactions and, 295-297, 295t
 Gibbs, 291-295, 291k, 301, 301dq
 nonstandard conditions, 375-376
 spontaneous change and, 291-294
 standard Gibbs, 295-296, 295t
 work and, 294-295
- Free radical mechanism, addition polymerization and, 238
- Free radicals, 55b, 437
- Freezing point of water, 264t
- Freon-12, 111dq, 111fq, 322
- Frequency, 143k, 143-144
- Frequency factor, 324k, 327
- FTIR. *See* Fourier Transform Infrared spectrometer
- Fuel additives, 108-109, 108k
- Fuel rods, 433k, 434, 434
- Fuel(s), 91-94. *See also* Gasoline
 alternative, 108-109
 energy density, 275, 275t
 hydrocarbons, 51k, 91k, 93, 108, 274
 oxygenated, 109k
 percentage yield, 105
 rocket, 102-103
 as source of volatile organic chemicals, 114
- Fuels cells, 403-404, 403k
- Fukushima Daiichi power plant, 434, 442c
- Fuller, Buckminster, 213
- Fullerenes, 213
- Functional groups, 50-51, 50b, 51t
- Fusion, 264t, 429k, 430, 436-437, 442c-442dq
- G**
- GABA. *See* Gamma aminobutanoic acid
- Gallium, 58a, 58aq, 227, 301eq
- Gallium-68, 442fq
- Gallium arsenide, 228
- Galvani, Luigi, 385
- Galvanic cells, 384-385, 385, 385k, 414aq
 atomic perspective on, 386-387
 terminology for, 385-386
- Galvanic corrosion, 382k, 387-388
 origin of, 392-393
- Galvanized steel, 394k
- Gamma aminobutanoic acid, 58eq
- Gamma decay, 420
- Gamma rays, 417k, 418, 418k, 438
- Garbage patches, in oceans, 300, 300
- Gas laws, 119-123, 139a-139kq
 Avogadro's law, 119k
 Boyle's law, 119k, 139
 Charles's law, 119k, 139
 Dalton's law of partial pressures, 124k
 ideal, 122-123, 126, 132, 133, 139
 in terms of mass, 139eq
- Gas phase equilibria, 348-349
- Gas sensors, 135-139, 139dq
- Gas(es), 6k, 112-139
 atomic structure in, 7, 7
 chemical reactions of, 126-128
 effect of change in pressure on equilibrium with presence of, 361-362
- gas phase equilibria, 348-349
 ideal gas law, 122-123, 126, 132, 133, 139
 kinetic-molecular theory, 128-135, 128k, 139, 139e-139dq
 LeChatelier's principle, 358-364
 Maxwell-Boltzmann distribution, 130k, 131
 noble, 44k
 partial pressure, 123-126, 124k, 139kq
 phase changes, 263-266, 264t
 pressure and, 116-119, 139, 139aq
 properties, 115-116
 rare, 44k
 sensors for, 135-139, 139dq
 stoichiometry of reactions involving, 126-128, 139k-139q
 STP conditions, 127-128
 transitions among solids, liquids, and, 264
 universal gas constant, 135-116k, 139
 van der Waals constants, 133, 134t
 van der Waals equation, 133k, 139
 in writing chemical equations, 64-66
- Gasoline, 91-94, 108
 additives to, 108, 108-109
 combustion of, 98, 99-100, 105, 111eq, 252
 composition of, 91
 energy density of, 275t
 lead in, 108-109
 octane, 93-94
 questions regarding, 111q
 reformulated, 109k
- GDP. *See* Gross domestic product
- Geckos, 246dq
- Geiger counter/Geiger-Mueller tube, 439, 439, 439k
- Generating station, 276, 276
- Geological injection, 88
- Germanium, 226
- Gibbs, J. Willard, 291
- Gibbs free energy, 291-295, 291k, 301, 301dq
- Gluconic acid, 371t
- Glucose, 89fq
- Gluons, 428
- Glutamic acid, 80, 80-81
- Glycine, 240
- Gold, 259
 eighteen-carat, 84
 electrolysis and, 410
- Gold-198, 442kq
- Goldschmidt process, 111eq
- Graft copolymer, 242, 242k
- Gram (unit), 78
- Graphene, 233
- Graphite, 213
 in alkaline battery, 399
 applications, 214
 crystal structure of, 219-221, 221
 diamond production and, 214
 intermolecular forces, 232-233, 233
- Gray (unit), 440t
- Gross domestic product, energy use and, 248, 248
- Ground state, 155k
- Group 1 cations, 70t
- Groups (periodic table), 43-44, 43k
- Guldberg, Cato Maximilian, 347

- H**
- Haber process, 339aq, 339hq
 Half-life, 320-322, 320k, 423k
 radioactive isotopes, 425t
 Half-reaction equilibrium, 386
 Half-reactions, 382-384, 383k, 414
 standard reduction potentials and,
 391-392, 391t
 Halides, 52t
 Hall, Charles Martin, 12, 406
 Hall-Heroult process, 406, 406
 Halogens, 44k, 54
 hep. *See* Hexagonal close-packing
 HDPE. *See* High-density polyethylene
 Health effects, of radiation exposure, 438, 438
 Heat, 252, 252k, 278. *See also* Thermodynamics
 calorimetry, 257, 260-262, 278
 chemical reactions and, 267-268
 electricity production and, 266-267
 enthalpy, 262-268
 second law of thermodynamics, 287-289
 specific, 258t
 work and, 287-288
 Heat capacity, 257-260
 molar, 257k, 258t, 259
 questions regarding, 278bq
 Heat flow, 278
 enthalpy, 262-263
 phase changes, 263-266, 264t
 Heat of combustion, 268, 272
 Heat of formation, 268k, 272-273
 Heat of fusion, 264
 Heat of neutralization, 268
 Heat of reaction, 267k, 268, 278cq
 Hess's law and, 269-273
 Heat of vaporization, 264
 Heisenberg, Werner, 161
 Helium, 121, 134t, 138-139
 Helium atom, 165
 Helium-neon laser, 176cq
 Helmont, Jan Baptist von, 89a
 Hematite, 111cq, 396
 Hemoglobin, 89cq
 Hemolysis, 190
 Heptane, 92t, 246cq
 Heptonic acid, 371t
 Heroult, Paul, 406
 Hess's law, 269, 269-271, 269b
 formation reactions and, 271, 271-273
 questions regarding, 278cq
 Heterogeneous catalysts, 333-334, 333k
 Heterogeneous equilibrium, 349-350, 349k
 Hexagonal close-packing, 216, 217, 219
 Hexamethylenediamine, 240
 Hexane, 92t, 336
 High-density polyethylene, 29, 57k, 239, 299t
 High-level nuclear waste, 434-435
 Hindenburg airship, 5
 Homogeneous catalysts, 333-334, 333k
 Homogeneous equilibrium, 349-350, 349k
 Hund's rule, 165-167, 165k
 Hybrid orbitals, 200-201, 201k, 211kq
 Hybridization, 200b, 201
 Hydrates, 40k
 Hydraulic fluids, 246dq
 Hydrazine, 106, 111cq, 414fq
 Hydriodic acid, 74t
 Hydrobromic acid, 74t
 Hydrocarbons, 51k, 91k, 108. *See also* Gasoline
 combustion of, 93, 274
 Hydrochloric acid, 74t, 100, 111fq, 126-127
 dilution calculation, 86
 Hydrocyanic acid, 74t, 371t
 Hydrofluoric acid, 74t, 371t, 379dq
 in MEMS, 245, 245
 Hydrogen, 44
 atomic weight, 36t
 energy density of, 275t
 fuel cells and, 404
 isotopes, 436
 periodic table and, 43
 reaction with oxygen, 63, 63, 77, 97
 van der Waals constant, 134t
 Hydrogen-3, 425t
 Hydrogen atom, 165
 atomic spectra, 153-154
 wave functions for, 160t
 Hydrogen azide, 211dq
 Hydrogen bonding, 231-233, 233, 246
 in water molecules, 266-267
 Hydrogen bromide, 339fq
 Hydrogen carbonate, 52t
 Hydrogen cyanide, 89dq, 362
 Hydrogen fluoride
 chemical bonds in, 231
 van der Waals constant, 134t
 Hydrogen gas
 electric discharge applied to, 152, 152-153
 production of, 111kq
 reaction with iodine gas, 355-357
 Hydrogen iodide, 339gq
 Hydrogen ion, 72, 73, 353
 Hydrogen molecule, covalent bond in, 198
 Hydrogen orbitals, radial probability function
 of, 164, 164-165
 Hydrogen peroxide, 339kq, 339d-339fq
 Hydrogen sulfate ions, 402
 Hydrogen-hydrogen bond, 187
 Hydronium ion, 52t
 Hydroxide, 52t, 70t
 Hydroxide ions, 74, 351
 Hydroxy radicals, 325
 Hydroxyapatite, 188
 Hydroxycarboxylic acid, 342t
 bis-(2-Hydroxyethyl) terephthalate, in PET
 synthesis, 280, 280
 Hydroxyl radical, 437
 Hypochlorite, 54t
- I**
- Ice
 melting, 293
 specific heat, 258t
 Ideal gas equation, 133-135
 Ideal gas law, 122-123, 126, 132, 133, 139
 Inches of mercury, 118
 Indicator, 106-107, 106k
 Induced dipole, 229
 Inductive reasoning, 11-12, 11k
 Inert gases, 44
 Infrared radiation, 146, 146, 147
 Infrared spectroscopy, 147
 Ingress of carbonated zone, 374
 Initiator, 40
 Injection, 88
 Inorganic acids, 371t
 Inorganic chemistry, 46-47, 46k, 58
 Insoluble, 70k
 Instantaneous dipole, 229
 Instantaneous dipole-induced dipole forces,
 228-230
 Instantaneous rate, 308-309, 308k, 309
 Insulators, 224k
 band energy diagram, 224, 224
 Integrated rate laws, 313-322, 314k, 339
 first-order, 315-317, 317
 questions regarding, 339c-339eq
 second-order, 317-320
 zero-order, 314-315
 Interference, 198, 198
 Intermolecular forces, 228-233, 228k, 246
 dipole-dipole forces, 230, 230
 dispersion forces, 228-230, 228k, 229
 hydrogen bonding, 231-233, 233
 questions regarding, 246bq
 Internal energy, 251-252, 251k
 International System of Units (*Système Interna-
 tionale d'Unités*, SI), 13, 14, 15t
 International Union of Pure and Applied
 Chemistry (IUPAC), 36
 Interstellar hydrogen clouds, 139cq
 Iodides, 70t
 Iodine, 301fq
 Iodine-131, 425t, 440-441
 decay of, 422-423, 423
 Iodine gas, reaction with hydrogen gas,
 355-357
 Ion exchange, 58kq
 Ion propulsion engine, 176dq
 Ionic bonding, 179-184, 211, 211aq
 anion formation, 181, 181-184, 183, 211
 cation formation, 179-180, 211
 questions regarding, 211aq
 Ionic bonds, 40-41, 40k, 41, 42, 179-180
 Ionic compounds, 41, 41
 Ionization energy, 170, 170-171, 170k, 172t
 ionic bonding and, 179-180
 Ionization gauge, 137, 137, 138, 176dq
 Ionizing power, 442
 Ionizing radiation, 437-438, 438
 Ion(s), 33, 36-38, 36k, 58
 Coulomb's law, 37
 monatomic, 36k, 37t
 polyatomic, 36k
 properties, 38
 spectator, 73k
 IR spectroscopy, 147
 Iridium, 246aq
 Iridium-192, 442fq
 Iron, 44, 78
 cations, 47, 54
 in galvanic cell, 392
 ion formation, 180
 mass of, 26
 rusting of, 387, 388
 Iron-52, 442fq
 Iron-53, 442fq
 Iron(II), 54, 111cq
 Iron(II) chloride, 47

Iron(II) ion, 52t
Iron(II) nitrate, 89fj
Iron(III), 54
Iron(III) chloride, 47
Iron(III) ion, 52t
Iron(III) oxide, 382
Iron-platinum, 212
Irreversible change, 295k
Isobutane, 235t
Isobutene, 101–102
Isocyanic acid, 111eq
Isoelectronic, 211kq
Isomers, 48, 91, 91k
Isotactic polymer, 239, 240k
Isotactic polypropylene, 239
Isotopes, 32–33, 32k
Isotopic abundances, 33k
ITER, 436–437

J
Joule (unit), 15, 253k

K
K capture, 421k
“K shell,” 421
Kelvin scale, 15, 16, 16
Rankine scale and, 122
Kelvin (unit), 14t
Kennedy Space Center, 381
Kerosene, 275t
Ketones, 51t
Kevlar, 57, 241
Kilobyte, 14
Kilogram (unit), 14t
Kilometer (unit), 14
Kilowatt-hour (unit), 278k, 409
Kinetic energy, 251, 251k
Schrödinger equation and, 156
Kinetic-molecular theory of gases, 128–135,
128k, 130, 139c–139dq, 322–324
postulates of the model, 128–131
real gases and limitations of, 132, 132–133
Kinetics. *See* Chemical kinetics
K-radiation, 162
Krypton, 166
Krypton-92, 431

L
Lambert, Frank, 301a
Lanthanides, 44k
Laser welding, 176dq
Lasers, 155, 173–176, 173k, 176cq
Lattice, 40–41, 40k
Lattice energy, 183k
Law of conservation of mass, 12
Law of conservation of matter, 63k
Law of partial pressures, 124k
Laws, 12k
Laws of thermodynamics
first law, 255k, 278
second law, 287–289, 287k, 301cq
third law, 289–291, 289k, 290, 301c–301dq
LDPE. *See* Low-density polyethylene
Lead, in gasoline, 108–109
Lead nitrate, 76
Lead selenide nanocrystals, 211dq
Lead storage battery, 402, 402–403, 402k, 403t

LeChatelier, Henri Louis, 359
LeChatelier's principle, 359–364, 359k, 379
effect of catalyst on equilibrium, 364
effect of change in pressure on equilibrium
when gases are present, 361–362
effect of change in reactant or product con-
centration on equilibrium, 359–361, 360t
effect of change in temperature on equilib-
rium, 363–364, 364t
questions regarding, 379cq
LEDs. *See* Light-emitting diodes
Lewis, G. N., 186
Lewis dot symbol, 186–187, 186k, 187
Lewis structures, 187k, 191–197, 211, 211kq
resonance hybrid, 196k
VSEPR theory, 202k, 208, 211

Light
coherent, 174k
electromagnetic spectrum, 143–152, 143k
frequency/wavelength relationship, 143, 144
modern sources of, 173–176, 176cq
monochromatic, 174k
particulate nature of, 148–152
photoelectric effect, 148, 148k, 149
photons, 149–151, 149k
refraction, 145–146, 145k, 146
visible, 143k, 146
wave nature of, 143–147
wave-particle duality, 149k, 176

Light intensity, unit of, 14t
Light-emitting diodes, 155, 173–176, 173k,
174, 175, 176cq
organic, 175, 175
Lignosulfonate, 342t
Limestone, 301cq, 341
decomposition of, 347
Limiting reactants, 99, 99–103, 99k
questions regarding, 111a–111bq
Line structure, 48–49, 48k, 50
Linear molecule, 203t, 206t
Linear polyethylene, 56, 56, 57
Liquids, 6b, 7, 7
Liquid(s), 6b, 233–237
atomic structure in, 7, 7
boiling point, 235–236, 235t
phase changes, 263–266, 264t
questions regarding, 246b–246cq
surface tension, 236–237, 236k, 237
transitions among solids, gases,
and, 264
vapor pressure, 233–235, 234, 234k,
235t, 236

Lithium, 36t
Lithium atoms, 165
bonding in row of, 223
Lithium batteries, 400, 400, 400k, 403t
Lithium hydroxide, 74t
Lithium ion, 37t
Lithium niobate, 211dq
Lithium-ion batteries, 412–413, 412k, 413
London forces, 228–230. *See also* Dispersion
forces
Lone pairs, 187k, 204, 205–206t
Low-density polyethylene, 57k, 239, 299t
Lowry, Thomas, 369
L-radiation, 162
Lubricants, 233

M
Macromolecules, 30
Macroscopic perspective, 4–6, 4k, 27
Madelung constant, 183
Magic numbers, 430, 430k
Magnetite, 88
Magnesium, 89dq, 139cq
ion formation, 180
ionization energy, 171, 172t
Magnesium carbonate, 111fq, 139fq
Magnesium fluoride, 379dq
Magnesium hydroxide, 364–365, 367
Magnesium ion, 37t, 52t
Magnesium nitride, 111kq
Magnesium oxide, 75
Magnesium salts, 342t
Magnetic field, 143, 144
Magnetic quantum number, 158k
Magnetic resonance imaging, 163, 430
Magnetite, 396
Main group elements, 44k, 46–47
Malleability, 5k
Malleable, 221k
Mandelic acid, 89cq
Manganese, 173, 246aq
oxides of, 301h
Manganese(III), 400
Manganese(IV) oxide, 399–400
Mask, 245
Masking, 245
Mass
conservation of, 12
conversion to moles, 80–81, 82–84
molar, 78k, 79–87, 89, 96–97
unit of, 14t
Mass action expression, 347–348
Mass defect, 428k
Mass density, 5k, 21–22
Mass number, 32k
Mass spectrometer, 32, 33, 138–139
Mass spectrum, 32
Material selection, 25–26
Materials science. *See also* Polymer(s)
buckminsterfullerene, 213
fullerene, 213
nanotubes, 214k, 215
Mathematical relationships, in chemical
equilibrium, 346–347
Matter, 4k
chemical properties, 5k
interaction with radiation, 437–440,
442d–442eq
law of conservation of, 63k
phases of, 6–8, 6k
physical properties, 5k
Matter-antimatter, 421
Maxwell-Boltzmann distribution, 130, 130k,
131, 285, 286, 323
Mean free path, 132k
Measurement
pressure, 117, 117–118
questions regarding, 27a–28bq
significant figures, 16–18, 17k
units, 13–16, 14t, 15t
Mechanical energy, 252
Medical imaging methods, 440–442, 442cq

- Melting of ice, 293
 MEMS. *See* Micro-electrical-mechanical systems
 Mendeleev, Dmitri, 42–43
 Meniscus, 237, 237
 Mercury, 58a, 78, 176k, 176c
 in barometer, 117–118
 Mercury(II) thiocyanate, 139f
 Mesoporous silica nanoparticles, 209–210, 210
 Metabolism, 186
 Metal oxide semiconductor field effect transistor, 227
 Metal oxides, 398
 Metallic bonding, 40, 41, 41k, 42
 band theory, 222–223
 questions regarding, 246a–246b
 sea of electrons model, 222, 222
 Metalloids, 45–46, 45k
 Metal(s), 45–46, 45k
 alkali, 44k
 alkaline earth, 44k
 band energy diagram, 224, 224
 band structure, 223–224
 bonding in, 41, 221–223, 222
 crystal structure, 220
 electronegativity, 188, 189
 Fermi level, 224
 ferrous, 34
 formation of anions, 181, 181
 impurities in, 9
 malleability of, 5
 in periodic table, 47, 47
 physical properties, 221
 questions regarding, 246a–246b
 transition, 44k, 46–47
 Meter (unit), 14, 14t
 Methane, 92t, 111k
 in Andrussov process, 352, 358
 combustion of, 64, 95–96, 267, 270, 301d
 conversion to methanol, 375–376
 energy density of, 275t
 Lewis structure of, 200
 production of, 301f
 van der Waals constant, 134t
 Methanol, 51, 111k, 232
 boiling point, 235t
 combustion of, 301c
 conversion to methane gas, 375–376
 in PET synthesis, 280, 280
 production of MTBE and, 101–102
 Methanotrophs, 379k
 Method of continuous variation, 109–110
 Methyl chloride, 51
 Methyl cyanoacrylate, 89d–89e, 211c
 Methyl ethyl ketone, 51t
 Methyl fluoride, 232
 Methyl group, 239, 239–240
 Methyl methacrylate, 48
 polymerization of, 187–188, 288, 296–297
 Methylamine, 51t, 74t
 2-Methylbutane, 91
 Microactuator, 246c
 Micro-electrical-mechanical systems, 244–246, 245k
 Microfabrication, chemistry of, 244–246
 Microscopic (particulate) perspective, 4k, 6–9, 27
 Microstate, 285–286, 285b, 286
 Microwaves, 146, 146
 Millimeters of mercury (unit), 118
 Models, 12–13, 12k, 27, 27a
 Molar concentration, 85k
 reliability of using, 368
 Molar heat capacity, 257k, 258t, 259
 Molar mass, 78k, 89
 calculations using, 80–87
 determining, 79–80
 stoichiometry and, 96, 96–98
 Molar solubility, 365–367, 365k
 Molarity, 84–86, 85k
 Mole fraction, 124k
 Mole ratios, 78k, 95–99, 95k, 111
 Molecular equations, 72k
 Molecular formulas, 39k
 Molecular models. *See also* Molecular shape
 VSEPR theory, 202k, 208, 211
 Molecular perspective, of catalysis, 334–335
 Molecular scale engineering, for drug delivery, 209–211, 211c
 Molecular shape, 202–209, 202k, 203, 203t, 205–206t, 211c
 Molecular structure, 186–188
 Molecularity, 330, 330t
 Molecules, 6k, 28, 39k
 chemical formulas, 39–40, 39k
 elemental analysis, 82–84, 82k
 forces between (*See* Intermolecular forces)
 temperature effects, 322–324
 Mole(s), 14t, 77k, 78, 89
 calculations using, 80–87
 conversion to mass, 80–81, 82–84
 conversion to molecules, 80–82
 description of, 77–78
 questions regarding, 89b–89c
 stoichiometry and, 273, 274
 Monatomic ions, 36k, 37, 37t
 naming, 34
 Monochromatic light, 174k
 Monomers, 30k
 Monosodium glutamate, 89c
 Montreal Protocol, 302, 333
 Morphine, 379e
 MOSFET. *See* Metal oxide semiconductor field effect transistor
 Most probable speed, 131k
 MRI. *See* Magnetic resonance imaging
 MSN. *See* Mesoporous silica nanoparticles
 MTBE (methyl-*tert*-butyl ether), 101–102, 108, 109, 111k
 Murphy's law, 301a
 "Must," 27c
 N
 Naming chemical compounds. *See* Chemical nomenclature
 Nanomachines, 1
 Nanometer (unit), 20
 Nanoscale conveyor belt, 1
 Nanotechnology, 213
 Nanotubes, 214k, 215
 Napoleon, 3
 Natchez Trace Parkway Bridge, 340
 Natta, Giulio, 240
 Natural gas, 249, 251
 Neon, 176b
 Neopentane
 boiling point, 235t
 Neptunium-237, 442f
 Nernst equation, 394–395, 394k
 Net ionic equation, 73k
 Neutralization, 75, 75k
 heats of, 268
 Neutrino, 419, 421
 Neutron, 31k
 Neutron numbers, 430
 Neutron-proton ratio, 427
 Newlands, John, 42
 Newton (unit), 118
 Nickel, 26, 301f
 Nickel alloy, 84
 Nickel tetracarbonyl, 139c
 Nickel-metal-hydride batteries, 401, 401k, 402, 403t
 Nicotine, 89c
 Nitrates, 52t, 70t
 Nitric acid, 74t, 89d, 89e, 111a, 139f
 in MEMS, 245, 245
 Nitric oxide, 274, 337
 Nitride ion, 37t
 Nitrites, 70t
 Nitroamine, 82–83
 Nitrogen, 211d
 in air, 113–114, 113t
 atomic weight, 36t
 binary compounds with oxygen, 52, 53
 electronegativity of, 188
 ionization energy, 170, 172t
 reaction with oxygen, 274
 van der Waals constant, 134t
 Nitrogen-14, 417
 Nitrogen cycle, 211d
 Nitrogen dioxide, 53, 139c, 339b
 air pollution and, 114, 115, 337
 concentration of reaction change, effect on equilibrium, 359, 360
 pressure change, effect on equilibrium, 361, 362
 reaction with fluorine, 339b
 temperature change, effect on equilibrium, 363, 363
 Nitrogen molecule, 199
 Nitrogen monoxide, 53
 Nitrogen oxides, 334, 334
 air pollution and, 114–115, 115
 Nitroglycerine, 278c
 Nitrosyl chloride, 379k
 Nitrosyl fluoride, 208
 Nitrous oxide, decomposition of, 315, 315, 318–319
 Noble gases, 44k, 166, 430
 Node, 161k
 Nonane, 92t
 Nonattainment area, 114k
 Nondestructive testing, 141–142, 141k
 Nonelectrolytes, 71k
 Nonionizing radiation, 437–438
 Nonmetals, 45–46, 45k
 Nonstandard conditions, 394–396
 Normal boiling point, 235–236, 235k, 235t
 Noryl, 49
 Notation
 ball-and-stick model, 47
 Lewis structures, 191–197, 211

- line structure, 48–49, 48k, 50
space-filling model, 47
- n-type semiconductors, 226k, 246dq
- Nuclear binding energy, 428–429, 428k
- Nuclear chemistry, 415–442
carbon dating, 416–417, 442
cosmic rays, 416–417, 416k, 442aq
Einstein equation, 428–429, 442
fission, 431–433, 433, 442c–442dq
fusion, 433, 436–437, 442c–442dq
interaction of radiation and matter, 437–440, 442d–442eq
medical imaging methods, 440–442, 442eq
nuclear reactions, 416k, 428–430, 442, 442a–442kq, 442cq
nuclear reactors, 433–434, 434
nuclear stability, 426–428, 442k–442cq
nuclear waste, 434–436, 435
radioactive decay, 416–417, 416k, 417–425, 442, 442kq
radioactivity, 417–425, 442, 442a–442kq
transmutation, 430–431, 430k, 442c–442dq
- Nuclear energy, 252
- Nuclear fission, 429k, 430, 431–433, 442c–442dq
- Nuclear fusion, 429k, 430, 436–437, 442c–442dq
- Nuclear reactions, 63, 416k
binding energy, 428–430, 428k, 429
description of, 416
energetics of, 428–430
equations for, 428–429
magic numbers, 430
questions regarding, 442cq
summary of, 442
- Nuclear reactors, 433–434, 434, 442dq
- Nuclear shells, 430
- Nuclear stability, 426–428, 442k–442cq
- Nuclear waste, 434–436
- Nuclear Waste Policy Act, 435
- Nucleus, 31, 31k
compound, 430, 430–431
- Nuclide(s), 417k, 426
chart of the, 426, 426–427, 426k, 442
- Numbers
questions regarding, 27a–28bq
rounding, 17
scientific notation, 16–18, 16k
- Nylon, 240, 241
- Nylon-6, 246cq
- O**
- Observations
description of, 27
interpreting, 11–12
questions regarding, 27aq
significant figures, 16–18
uncertainty in, 10–11
- Oceans, garbage patches in, 300, 300
- Octahedral molecule, 203t, 206t
- Octane, 92t, 93, 139eq, 278fq
combustion of, 93, 93–94, 94, 111aq
energy density of, 275t
molecular structure of, 92t
- Octane number, 108
- Octet rule, 186–187, 186k
- Oil (crude), 249
energy density of, 275t
- Oil (heating)
energy density of, 275t
- OLEDs. *See* Organic light-emitting diodes
- Olivine, 88
- Operator, 155k
- Orbit, atomic, 31, 31
- Orbital energies, 163–165
- Orbital hybridization, 200, 201
- Orbital overlap, 198–200, 198b, 199
chemical bonds, 198–200
pi bond, 199, 199
sigma bonds, 199, 199
- Orbital(s), 155k, 159t. *See also* Atomic structure
antibonding molecular, 223k
aufbau principle, 165–167
bonding molecular, 223k
d, 159, 161, 161–162
electron configurations, 163–165
Hund's rule, 165–167
hybrid, 200–201, 201k, 211kq
p, 159, 161, 161–162
potential energy and, 156–157
s, 159, 161, 161–162
sigma bonds, 199, 199
visualizing, 160–163, 160–163, 160t
- Order of reaction, 310, 310k
- Organic acids, 371t
- Organic chemistry, 46k, 47–51, 58
notation, 48
structural formula, 55
- Organic halides, 51t
- Organic light-emitting diodes, 175, 175
- Oxalate ion, 211eq
- Oxalic acid, 301eq
- Oxidation, 382b. *See also* Electrochemistry;
Oxidation-reduction reactions
Oxidation half-reaction, 383–384
Oxidation-reduction reactions, 382–388, 382k, 414, 414aq. *See also* Electrochemistry
electrolysis, 404–407, 405k
Faraday constant, 395k
Nernst equation, 394–395, 394k
- Oxide ion, 182
- Oxide ores, 396
- Oxyanions, 54k, 54t
- Oxygen
in air, 113–114, 113t
in Andrussov process, 352, 358
atomic weight, 36t
binary compounds with nitrogen, 52, 53
conversion of ozone to, 307, 312–313, 325
diatomic, 304
electronegativity of, 188
fuel cells and, 404
ionization energy, 172t
reaction with hydrogen, 63, 63, 77, 97
reaction with nitrogen gas, 274
van der Waals constant, 134t
- Oxygen-15, 425t
- Oxygen-19, 442kq
- Oxygen difluoride, 191–192
- Oxygenate, 109k
- Oxygenated fuel, 109k
- Ozone, 89cq, 114–115, 211dq, 303
- Chapman cycle, 304, 304, 304k, 309, 329–330, 332–333
conversion to oxygen, 307, 312–313, 325
destruction by chlorine radicals, 330, 333
formation of, 332–333
photodissociation of, by UV light, 320, 320–322
tropospheric, 335–338, 339f–339gq
- Ozone depletion, 302, 303–305, 305, 306, 339q
- Ozone hole, 302, 304–305
- Ozone layer, 303
- P**
- p* block, 168, 176
- p* orbital, 159, 161, 161–162
- Packing efficiency, 215–216, 215b, 216
- Palladium alloy, 84
- PAN. *See* Peroxyacetyl nitrate
- Parent, in radioactive decay, 418
- Part per million, 114k
- Partial pressure, 123–126, 124k, 139kq
Dalton's law of, 124k
mass spectrometer, 138–139
- Particles, number of, 14t
- Particulate matter, 114
- Particulate (microscopic) perspective, 4k, 6–9, 27
- Particulate nature of light, 148–152
- Parts per billion (unit), 15k
- Parts per million (unit), 15k
- Pascal (unit), 118
- Passive electrolysis, 405–406, 405k
- Pauli exclusion principle, 163k, 176kq
- Pegasus rocket, 90
- Pentane, 92t, 336
structural isomers of, 91
- n*-Pentane, 235t
- 2-Pentene, 301gq
- Percentage yield, 104–105, 104k, 111kq
- Perchlorates, 34t, 70t
- Perchloric acid, 74t
- Periodic law, 42k
- Periodic table, 42–46, 58, 167, 167–168, 176k–176cq. *See also* Elements
anion formation, 181, 181–184, 183
arrangement, 43–46
atomic properties, trends in, 168–173
atomic size and, 168–170
cation formation, 179–180
crystal structure and, 219–220, 220
electron affinity and, 171–173
electron configuration and, 167–168
electronegativity, 188–190
ionization energy and, 170–171, 172t
views, 44, 45
- Periodic trends, 168–173, 176cq
- Periodicity, 42k
- Periods, 43–44, 43k
- Peroxides, 238
- Peroxyacetyl nitrate, 339dq
- PET. *See* Poly(ethylene terephthalate);
Positron emission tomography
- Petagrams (Pg), 88
- Petroleum distillates, 336, 337t
- pH scale, 372, 372
- Phase changes, 263–266, 264t
heat of fusion, 264
heat of vaporization, 264

- Phase diagram, 213k
for carbon, 213–214, 214
- Phases, of matter, 6–8, 6k. *See also* Gas(es);
Liquid(s); Phase changes; Solid(s)
- Phenanthroline, 111eq
- Phenolphthalein, 343, 343
- Phenols, 51t
- p-Phenylenediamine, 240
- Phosgenes, 111aq
- Phosphate, 52t
- Phosphate ions
Lewis structure of, 193–194
reaction with hydrogen ions, 353
- Phosphates, 70t
- Phosphoric acid, 74t, 111c–111dq
- Phosphorus, 227, 301e, 339hq
elemental, 111kq
- Phosphorus pentachloride, 357–358
- Phosphorus trichloride, 357–358
- Photoanode, 148
- Photochemical reaction, 63k, 114k
- Photochemical smog, 334, 335–337,
335k, 339gq
- Photoelectric effect, 148, 148k, 149,
176cq, 176dq
- Photons, 149–151, 149k
gamma decay and, 420
- Photosynthesis, biomass and, 60–61, 61
- Physical changes, 7–8
- Physical properties, 5k
- Pi bonds, 199, 199k, 209
- Picloram, 339c–339dq
- Pigments, 244
- Pimeric acids, 342t
- Planck, Max, 149
- Planck's constant, 149, 176cq
- Plasma, 6
- Plasticizers, 244, 337t
- Plastics, recycling, 279, 280–281, 287,
298–300, 299t
advanced, 289
depolymerization, 289, 296–297
economics of, 297–301
entropy and, 298
questions regarding, 301aq
- Plexiglas, 48, 283
- Plutonium-239, 442eq
- PM. *See* Particulate matter
- PMMA. *See* Poly(methyl methacrylate)
- p-n junction, 227, 227k
- Polar bond, 189k
- Polar coordinates, 160
- Polar covalent bonding, 189–190
- Polarity, 179k
electrolysis and, 405, 405
- Polarizability, 229k
- Pollutants. *See also* Air pollution
criteria, 114k
defined, 112
- Polonium, 246aq
- Polonium-210, 442dq
- Polyatomic ions, 36k
naming, 54
- Polybutadiene, 58kq
- Polyethylene, 55–57, 56
branched, 56, 56, 57
crystalline, 293–294
- dispersion forces in solids of, 229
empirical formula, 39
high-density, 57
linear, 56, 56, 57
low-density, 57
molecular structure of, 30, 30
production, 55–56
questions regarding, 301f–301gq
ultra-high molecular weight, 57
uses of, 57
- Poly(ethylene terephthalate)
industrial synthesis, 280
recycling, 280, 297, 299t
- Polymer backbone, 30k
- Polymerization
addition, 238, 238k, 240
condensation, 240–242
degree of, 239k
entropy and, 287
thermodynamics of, 290–291
- Polymer(s), 29, 29–31, 29k, 90, 237–244, 246
addition, 238, 238–240
additives to, 244
atactic, 239, 240k
condensation, 240, 240–242, 240k
copolymers, 242, 242–243
covalent bonds and, 42
cross-linking, 243–244
ions and, 38
isotactic, 239, 240k
physical properties of, 243–244
questions regarding, 58aq, 246cq
silicon-based, 46
syndiotactic, 239, 240k
synthesis and recycling, 287
thermal properties of, 243
thermoplastic, 243, 243k
thermosetting, 243, 243k
- Poly(methyl methacrylate)
bone cement and, 179
formation of, 187–188, 288
recycling/depolymerization of, 289, 296–297
in spontaneous process, 283
structural formula, 48
- Poly(phenylene oxide), 49
- Polypropylene, 239, 299t
- Polystyrene, 29, 240, 246dq, 299t
- Poly(tetrafluoroethylene), 186, 294
- Polyurethane, 58cq
- Poly(vinyl alcohol), 194
- Poly(vinyl alcohol) fiber, 377, 377
- Poly(vinyl chloride), 29, 30, 30–31, 244, 299t
formula, 39
- Poly(vinylidene chloride), 30, 31
formula, 39
- Poly(vinylpyrrolidone), 50
- Portland cement, 341–342, 341k, 347
- Positron, 418k
- Positron decay, 421
- Positron emission, 421, 421–422
- Positron emission tomography, 440, 441
- Potassium acetate, 75
- Potassium chlorate, 70
- Potassium hydroxide, 74t, 399
combined with acetic acid, 75
- Potassium ion, 37t, 52t, 72
- Potassium permanganate, 70, 111fq, 139fq
- Potential energy
anion formation and, 182
description of, 251, 251k
Schrödinger equation and, 156–157
- Power distribution, 275–278, 278cq
- Precipitation reaction, 75–77, 75k, 76, 349–
350, 352
- Precision, 10k, 11
- Preexponential factor, 324k, 327
- Prefixes
Greek, 52t
SI system, 13, 15t
- Pressure, 139aq
atmospheric, 116, 116
chemical equilibrium and changes in, 361–362
defined, 116k
effect of change in on equilibrium, 361–362
gas laws, 119–123, 139a–139kq
gases and, 116–117, 116–119, 139aq
measuring, 117, 117–118, 135–136, 136
partial (*See* Partial pressure)
units, 118–119
- Pressure sensors, 139dq
- Primary cells, 399–401, 399k, 403t, 414
- Primary standards, 114k
- Primitive cubic, 217
- Principal quantum number, 158k
- Probability, spontaneous change and, 284,
284–285
- Problem solving, in chemistry and engineering,
19–25, 27k–27cq
- Process engineering, 335
- Products, 62k
effect of change in on equilibrium,
359–361, 360t
- Propane, 42, 89cq, 111eq, 139eq,
246c–246dq, 339eq
boiling point of, 235t
combustion of, 64–66
energy density of, 275t
heat of combustion of, 272
molecular structure of, 92t
- Propanoic acid, 371t
- 2-Propanol, 81–82
- Protactinium-234, 420
- Proteins, as polymers, 46
- Protons, 31b, 58
- PTFE. *See* Poly(tetrafluoroethylene)
- p-type semiconductors, 226, 226k, 246dq
- Putrescine, 89eq
- PVC. *See* Poly(vinyl chloride)
- PV-work (pressure-volume work), 252k
- Pyridine, 89dq
- Pyrophoric, 301d
- Pyrrrole, 89dq
- Q**
- Quality assurance, trace analysis and, 141
- Quality factor, 440k
- Quantitative information, 13
- Quantized, 154k
- Quantum mechanical model of atom,
155–163, 176kq
- Quantum numbers, 157–160, 157k, 159t
- Quantum theory
aufbau principle, 165–167, 165k
Hund's rule, 165–167, 165k

- orbitals, 155k, 156–157, 159t, 160–163, 160t, 161–163
- quantum numbers, 157–160, 157k
- Schrödinger equation, 155–158, 155k
- uncertainty principle, 161k
- Quarks, 32, 428
- R**
- Radial probability function, 164
- Radiant energy, 252
- Radiation
- background, 439k
 - detection methods, 438–439
 - dose measurements, 439–440
 - exposure, 439k, 440t
 - gamma, 417k, 418, 418k, 438
 - imaging uses of, 440–441
 - interaction with matter, 437–440, 442d–442cq
 - ionizing and penetrating power of, 437–438, 442
- Radiation absorbed dose (rad), 440t
- Radio wave radiation, 146, 146
- Radioactive decay, 416–418, 416k, 442kq
- alpha decay, 418–419, 418k
 - beta decay, 419–420, 419k
 - gamma decay, 420
 - kinetics of, 422–425
- Radioactive isotopes, 33
- half-lives, 425t
 - medical uses of, 440–442
- Radiocarbon dating, 424–425
- Radioisotope thermoelectric generator, 442fq
- Radon, 437
- Radon-226, 442fq
- Random error, 10k
- Rankine temperature scale, 16, 122
- Rare gases, 44k
- Rate constants, 310–311
- for reactions in atmospheric chemistry, 336t
 - second-order, 339aq
- Rate laws, 309–313
- chemical equilibrium and, 346–347
 - determination of, 311–313
 - differential, 309–313, 309k, 339, 339a–339cq
 - integrated, 313–322, 314k, 339, 339c–339cq
 - questions regarding, 339a–339cq
- Rate-determining step, 332–333, 332k
- Rates of reaction, 305–309, 306k, 339–339aq
- average rate, 308–309, 308k, 309
 - catalysis, 333–335, 339, 339fq
 - differential rate law, 309–313, 309k, 339, 339a–339cq
 - instantaneous rate, 308–309, 308k, 309
 - integrated rate laws, 313–322, 314k, 339, 339e–339cq
 - rate constant, 310–311
 - rate laws, 309–313
 - rate-determining step, 332–333, 332k
- Ratios
- problem solving using, 19–22
 - in stoichiometry, 95–99, 96
- RBE. *See* Relative biological effectiveness
- Reactants, 62k
- chemical equilibrium and changes in, 359–361
 - effect of change in on equilibrium, 359–361, 360t
 - half-life, 320–322
 - limiting, 99, 99–103, 99k, 111a–111kq
- Reaction mechanisms, 329–333, 330k, 339, 339e–339fq
- Reaction quotient, 347k
- Reaction rate, 305–309, 306k, 339–339aq. *See also* Rates of reaction
- Reaction stoichiometry. *See* Stoichiometry
- Reactions. *See* Chemical reactions
- Reactive intermediate, 331k
- Reactor core, 433k
- Reasoning
- deductive, 11–12, 11k
 - inductive, 11–12, 11k
- Rechargeable batteries, 400, 401
- Reclamation, 281
- Recycling, 289
- advanced, 289
 - aluminum, 297–298
 - economics of, 297–301, 301eq
 - entropy in, 287
 - feedstock, 289
 - PET, 297
 - plastic, 279, 280–281, 297, 298–300, 299t, 301aq
- Redox reactions, 382k. *See also* Oxidation–reduction reactions
- Reduction, 382k
- Reformulated gasoline, 109k
- Refraction, 145–146, 145k, 146
- Relative biological effectiveness, 440k
- Reliability, of using molar concentrations, 368
- Representative elements, 44k
- Resins, 49
- Resonance, 196–197
- Resonance hybrid, 196k
- Resonance structures, 196–197, 196k
- benzene, 197, 197
 - sulfur dioxide, 196–197
- Reverse reactions, 343–345
- Reversible change, 294k
- RFG. *See* Reformulated gasoline
- RH chemicals, 336–337
- Roadmap to Achieve Energy Delivery Systems Cybersecurity - 2011, 277
- Rocket engine design, 102–103
- Röntgen (unit), 440t
- Root-mean-square speed, 131k
- Rounding numbers, 17
- RTG. *See* Radioisotope thermoelectric generator
- Rust, 380, 381, 387, 388, 397. *See also* Corrosion
- Rutherford, Ernest, 417, 438, 442eq
- S**
- s block, 167, 176
- s orbital, 159, 161, 161–162
- Sacrificial anodes, 394, 394k
- Salicylic acid, 371t
- Salt. *See* Sodium chloride
- Salt (product of an acid–base reaction), 75
- Salt bridge, 384, 384–385, 385k
- Saturated solution, 71
- sc lattice. *See* Simple cubic lattice
- Scandium, 26, 173
- Scanning probe microscopy, 28
- Schrödinger equation, 155–158, 155k
- Scientific method, 4, 4k, 13
- Scientific notation, 16–17, 16k
- Scintillation counter, 439
- Sea of electrons model, 42, 222, 222, 222b, 246
- Sea of instability, 426k
- Seaborg, Glenn, 442eq
- Seaborgium, 442eq
- Seaborgium-259, 425t
- Second law of thermodynamics, 287–289, 287k, 301, 301eq
- Second (unit), 14t
- Secondary cells, 399k, 401–403, 403t, 414
- Secondary quantum number, 158k, 159t
- Secondary standards, 114k
- Second-order integrated rate law, 317–320
- Second-order rate constants, 339aq
- Second-order reactions, 317–320, 317k
- Seesaw molecular shape, 205t
- Semiconductors, 224–228, 438
- band energy diagram, 224, 224
 - doping, 225, 225, 225k
 - n-type, 226k, 246dq
 - p–n junction, 227k
 - p-type, 226, 226k, 246dq
- Semimetals, 45–46, 45k
- Shapes of molecules, 202–209, 203t, 205–206t
- SHE. *See* Standard hydrogen electrode
- Shell, 158k
- Shielding, 164k
- SI system, 13, 14, 15t
- Side reactions, 104k
- Sievert (unit), 440t
- Sigma bonds, 199, 199k, 209
- Significant figures, 16–18, 17k
- Silane, 278c, 301d
- Silicon, 46–47, 301d, 339hq
- atomic weight, 36t
 - doping, 225, 225
 - ionization energy, 172t
 - isotopes, 35
 - Lewis symbol, 187
 - MEMS and, 245, 245
 - as semiconductor, 225–226
 - structure of, 220
- Silicon carbide, 111bq
- Silicon dioxide, 210, 246cq
- Silicon nitride, 89aq, 246cq, 278e–278fq
- Silicon tetrachloride, 46, 47
- Silicon-based polymers, 46
- Silicones, 46
- Silicon–oxygen bonds, 46
- Silver electroplating, 407
- Silver ion, 52t
- Silver nitrate, 385
- copper wire in, 383, 383–384
- Simple cubic lattice, 217, 217k
- Sine waves, 144, 198
- Single bond, 187
- Single event effect, 438
- Smelting, 24, 24
- Smog, 112, 114, 334, 335–337, 335b, 339gq
- Sodium
- ionization energy, 171, 172t
 - ions, 38
- Sodium azide, 89kq, 139cq

- Sodium bicarbonate, 126–127
 in Solvay process, 104–105
 Sodium carbonate, 75, 89fq
 production of, 104–105
 Sodium chloride, 41, 41, 47
 Sodium fluoride, 182–183
 Sodium hydroxide, 23, 74t, 361
 Sodium hypochlorite, 85, 106
 Sodium ion, 37t, 52t
 Sodium lamp, 176
 Sodium sulfates, 76
 Solid(s), 6k
 atomic structure in, 7, 7
 bonding in, 220, 221–228, 222–223, 246
 packing efficiency, 215–217, 215k, 216–217
 phase changes, 264
 questions regarding, 246aq
 structure, 215–221, 216–217, 246
 Solid-state devices, 174, 175
 Solubility
 defined, 69k
 molar, 365–367, 365k
 rules for, 70, 70t
 Solubility equilibria, 364–368, 379dq
 common ion effect, 367–368
 molar solubility, 365–367
 Solubility product constant (K_{sp}), 364–365, 365k, 379
 Soluble, 69k
 Solutes, 69k
 dilution, 86–87
 electrolytes, 71, 72
 molarity, 84–86
 Solutions, 69–71, 69k
 concentration, 69k
 dilution, 86–87
 dilution formula, 86
 electrolytes, 71, 72
 molarity, 84–86
 saturated, 71
 stoichiometry, 105–108, 106, 107, 111k–111cq
 Solvay process, 104–105
 Solvents, 69k
 Soot, 93
 sp orbital, 201, 201
 sp^2 orbital, 201, 201, 209
 sp^3 orbital, 201, 201
 Space program
 corrosion, 381
 rocket fuel, 102–103
 Space-filling model, 47
 Spandex, 242
 Sparingly soluble, 365k
 Specific heat, 257k, 258t
 Specific heat capacity, 258t
 Spectator ions, 73k
 Spectra. *See* Atomic spectra; Electromagnetic spectrum
 Speed, 129
 average, 131k
 Maxwell-Boltzmann distribution, 130, 130k, 131
 most probable, 131k
 root-mean-square, 131k
 Spin paired, 163k
 Spin quantum number, 163
 Spontaneous change
 free energy and, 291–294
 probability and, 284, 284–285
 Spontaneous processes, 281–283, 282k, 301a–301kq
 enthalpy and, 283
 Square planar molecule, 206t
 Square pyramidal molecule, 206t
 Standard Gibbs free energy change, 295–296, 295k, 295t
 implications for reaction, 296–297
 Standard hydrogen electrode, 389, 389–390
 Standard molar enthalpies, of water, 264t
 Standard molar entropy, 289–290, 289k, 289t
 Standard reduction potentials, 391–394, 391k, 391t, 392
 measurement of, 390–391
 Standard state, 268, 385–386, 385k
 Standard temperature and pressure, 127–128, 127k
 State function, 269k, 278
 Statistical mechanics, 285k
 Steel
 galvanized, 394k
 properties of, 25t
 Stiffness, 25
 Stimulated emission, 175
 Stoichiometric coefficients, 64k
 Stoichiometry, 64k, 94–111f, 94k
 adjusting, of chemical equilibrium, 352–353
 of chemical reaction, adjusting, 352–353
 electrolysis and, 408–410
 energy and, 273–275
 equilibrium constant and, 347
 fundamentals, 94–99, 111–111aq
 limiting reactants, 99, 99–103, 99k
 molar mass, 96, 96–98
 percentage yields, 104–105, 104k
 ratios, 95–99, 96
 reaction rate and, 306–308
 of reactions involving gases, 126–128, 139k–139cq
 solutions, 105–108, 106, 107, 111b–111cq
 STP conditions, 127–128
 theoretical yields, 104–105, 104k
 titration, 106–107, 106k, 107
 word origin, 94
 STP. *See* Standard temperature and pressure
 Strength, of material, 25
 String, vibrating, 157, 158
 Strong acids, 73–74, 74t
 Strong bases, 73–74, 74t
 Strong electrolytes, 71k
 Strong force, 428, 428k
 Strontium, 58dq
 Strontium hydroxide, 74t
 Strontium nitrate, 139cq
 Styrene, 49, 111dq, 242
 Subshells, 159k
 Substrate, 245
 Sucrose, 89fq
 Sugar molecule, 72
 Sulfates, 52t, 70t
 Sulfide ion, 37t
 Sulfides, 70t
 Sulfur, 78, 166
 atomic weight, 36t
 electron configuration, 167
 Sulfur dioxide, 111q, 379fq
 effect on plants, 125–126
 resonance structures, 196
 van der Waals constant, 134t
 Sulfur hexafluoride, 111bq
 Sulfur oxides, 98, 347–348
 Sulfur tetrafluoride, 207
 Sulfur trioxide, 278c
 reaction with water, 270–271
 Sulfuric acid, 74t, 111aq, 111cq, 111fq, 379fq
 aluminum reaction with, 111fq
 conversion of corn stover and, 86
 formation of, 270–271
 titration of, 107–108
 Superalloys, 168
 Superconductors, 27bq
 Superheavy elements, 430
 Surface tension, 236–237, 236k, 237, 246
 Surfactants, 236
 Surroundings, 254k
 Symbolic perspective, 4k
 Symbolic representation, 9, 9
 Syndiotactic polymer, 239, 240k
 Syndiotactic polypropylene, 239
 Syndiotactic polystyrene, 246dq
 System, 254k
 Systematic error, 10–11, 10k
- T**
 Taconite, 89cq
 Teflon, 186
 Tellurium-128, 442cq
 Temperature
 absolute, 122k
 chemical equilibrium and changes in, 363–364
 chemical kinetics and, 322–329, 339, 339cq
 effect of change in on equilibrium, 363–364, 364t
 entropy and, 287, 293
 gas laws, 119, 119–123
 units, 14t, 15–16
 vapor pressure and, 234, 236
 Temperature scales, 15–16, 15k
 Terephthalic acid, 240, 240
 Termolecular steps, 330k, 330t
 Terpenes, 337t
 Testing, nondestructive, 141–142, 141k
 Tetraethyl lead, 108, 108–109
 Tetrahedral molecule, 203t, 205t
 Tetraphosphorus trisulfide, 98
 Thallium, 36t
 Thallium-201, 442fq
 Theoretical yield, 104–105, 104k, 111kq
 Theory, 12k
 Thermal pollution, 255
 Thermochemical equation, 267–268, 267k
 Thermochemistry, 251k
 Thermocouple gauge, 136, 136–137, 138
 Thermodynamics, 172, 301. *See also* Heat delta symbol, 254
 endothermic reactions, 263k, 279, 363, 364t
 enthalpy (*See* Enthalpy)
 entropy (*See* Entropy)
 exothermic reactions, 263k, 323, 363, 364t
 first law of, 255k, 278
 Gibbs free energy, 291–295, 291k, 301, 301dq

- heat of reaction, 267k, 268, 269-273
 Hess's law, 269, 269-273, 269k, 271
 of polymerization, 290-291
 second law of, 287-289, 287k, 301, 301eq
 spontaneity, 281-283
 thermochemical equation, 267-268
 third law of, 289-291, 289k, 290, 301c-301dq
 Thermolysis, 289
 Thermoplastic polymers, 243, 243k
 Thermosetting polymers, 243, 243k
 Third law of thermodynamics, 289-291, 289k, 290, 301c-301dq
 Thorium, 418
 Thorium-232, 442bq, 442cq
 Three Mile Island nuclear reactor accident, 277-278
 Thyroid problems, diagnosis of, 440-441
 Time, unit of, 14t
 Tin plating, 410-411
 Titanium, 25t, 27cq, 173
 Titanium-45, 441-442
 Titration, 106-107, 106k, 107
 Torr (unit), 118k
 Torricelli, Evangelista, 118
 Total ionic equation, 73k
 Trace analysis, 141-143, 141k, 151-152, 176aq
 Transition metals, 44b, 46-47
 Transmission substitution, 276, 276
 Transmutation, 430-431, 430k, 442c-442dq
 Trichloroamine, 342t
 Trigonal bipyramidal molecule, 203t, 205t
 Trigonal planar molecule, 203t, 205t
 Trigonal pyramidal molecule, 204, 205t
 Triple bond, 187k
 Tritium, 436, 442bq
 Tropospheric ozone, 335-338, 339f-339gq
 T-shape molecule, 205t, 206t
 Tungsten alloys, 168
 Turnover number, 335k
 Two-way arrow, 74
- U**
- Ultra-high molecular weight polyethylene, 57k
 Ultraviolet, 146, 146
 Uncertainty principle, 161k
 Uniform corrosion, 382k, 387-388
 Unimolecular steps, 330k, 330t
 Unit cell, 216k
 United States
 electrical grid, 275
 production and consumption of energy in, 248-251, 249-250
 U.S. Department of Energy, 277
 Units, 13-16, 14t, 15t
 energy, 253
 equilibrium constant and, 354
 ideal gas law and, 122-123
 pressure, 118-119
 Universal gas constant, 115-116k, 139
- Universe, 254k
 Uranium, 417, 425
 isotopes, 58aq
 Uranium-233, 442fq
 Uranium-235, 425t, 431, 433, 433, 442cq
 Uranium-236, 431
 Uranium-238, 418, 425t, 427, 427, 433, 442cq
 Urea, 79, 139b-139cq
- V**
- Valence band, 224k
 Valence bond model, 198k, 199-200
 Valence electrons, 166k
 atomic size and, 168-169
 nonmetal elements, 184
 Valence shell electron pair repulsion theory (VSEPR theory), 202k, 208, 211
 van der Waals constants, 133, 134t
 van der Waals equation, 133k, 139
 van der Waals forces, 246dq
 Vanadium, 173
 Vapor pressure, 233-235, 234, 234k, 235t, 236, 246
 Vaporization, 266-267
 electricity production and, 266, 266-267
 heat of, 264
 of water, 264t
 Vinyl alcohol, 194-196, 208-209
 Visible light, 143k, 146
 Visualization, in chemistry, 23, 23-25, 24
 VOCs. *See* Volatile organic chemicals
 Volatile, 234k
 Volatile organic chemicals, 114-115, 114k, 115, 336-337, 337t, 339eq
 Volcanoes, air pollution caused by, 124-125
 Volta, Alessandro, 399
 Voltmeter, 388, 388
 Volume, gas laws and, 119, 119-123
 Vulcanization, 244
- W**
- Waage, Peter, 347
 Washington Monument capstone, 3
 Waste energy, 255, 256, 256t
 Waste treatment, 409
 Water. *See also* Aqueous solutions
 boiling of, 7, 7-8
 boiling point, 235-236, 235t, 236
 Brønsted-Lowry theory; role in, 369-370
 chemical bonds, 42
 combustion of octane and, 93, 93-94, 94
 dissolution of carbon dioxide in, 361
 electrolysis, 8
 freezing point, 264t
 heat capacity, 258
 mass density, 21
 molar heat capacity, 259
 molecular structure of, 7, 7-8
 phase changes of, 264t, 265, 266
 reaction of hydrogen and oxygen to produce, 77, 97
 reaction with sulfur trioxide, 270-271
 reaction with water, 369-370
 specific heat, 258t
 symbolic representation of, 9
 van der Waals constant, 134t
 vapor pressure of, 234, 235t, 236
 Water molecule, 72
 Water vapor, 113
 Watt (unit), 409
 Wave function, 155k
 Wave nature of light, 143-147
 Wavelength, 143k, 144
 Wave-particle duality, 149k, 176
 Wave(s)
 characteristics of, 143, 144
 diffraction of, 155
 interference between, 198, 198
 Schrödinger equation, 155-158
 Weak acids, 74, 74t, 370-374
 Weak bases, 74, 74t, 370-374
 Weak electrolytes, 71k
 Weathering, of concrete, 341-343, 343, 373-374, 374
 Whewell, William, 395
 Wind farms, 247
 Wood, oven dry, 275t
 Work, 252, 252k, 253, 278
 free energy and, 294-295
 heat converted to, 287-288
 second law of thermodynamics
- X**
- Xenon, 168
 reaction with fluorine, 339gq
 Xenon hexafluoride, 139dq
 X-ray fluorescence (XRF), 142-143, 142k, 143, 147, 152, 162, 162-163, 163t
 X-rays, 146, 146, 162, 163t, 440
- Y**
- Yield, of chemical reactions, 104-105, 111kq
 Yield strength, 25k, 25t
 Yucca Mountain, nuclear waste disposal at, 435, 435, 442dq
- Z**
- Zero-order rate law, 314-315
 Zero-order reaction, 314-315, 314k, 315
 Ziegler, Karl, 240
 Ziegler-Natta catalysts, 240
 Zinc, 78
 in batteries, 399, 401
 corrosion of, 396-397
 isotopes, 58aq
 reduction of, 393-394
 Zinc ion, 52t
 Zinc-air battery, 401, 401, 403t
 Zircon, 89cq