INTERNATIONAL ADAPTATION

Tenth Edition

# Fundamentals of Thermodynamics

Claus Borgnakke
Richard E. Sonntag

WILEY

# Fundamentals of Thermodynamics

Tenth Edition

**INTERNATIONAL ADAPTATION**

Claus Borgnakke
Richard E. Sonntag

WILEY

# CONTENTS


Symbols xvii

1 Introduction and Preliminaries 1
- 1.1 A Thermodynamic System and the Control Volume 4
- 1.2 Macroscopic Versus Microscopic Points of View 5
- 1.3 Properties and State of a Substance 6
- 1.4 Processes and Cycles 7
- 1.5 Units for Mass, Length, Time, and Force 8
- 1.6 Specific Volume and Density 10
- 1.7 Pressure 13
- 1.8 Energy 20
- 1.9 Equality of Temperature 22
- 1.10 The Zeroth Law of Thermodynamics 22
- 1.11 Temperature Scales 23
- 1.12 Engineering Applications 24

2 Properties of a Pure Substance 35
- 2.1 The Pure Substance 36
- 2.2 The Phase Boundaries 36
- 2.3 The $P$–$v$–$T$ Surface 42
- 2.4 Tables of Thermodynamic Properties 45
- 2.5 The Two-Phase States 47
- 2.6 The Liquid and Solid States 49
- 2.7 The Superheated Vapor States 50
- 2.8 The Ideal Gas States 53
- 2.9 The Compressibility Factor 56
- 2.10 Equations of State 60
- 2.11 Engineering Applications 61

3 Energy Equation and First Law of Thermodynamics 70
- 3.1 The Energy Equation 70
- 3.2 The First Law of Thermodynamics 74
- 3.3 The Definition of Work 75
- 3.4 Work Done at the Moving Boundary of a Simple Compressible System 80
- 3.5 Definition of Heat 88

3.6 Heat Transfer Modes 89
3.7 Internal Energy—A Thermodynamic Property 91
3.8 Problem Analysis and Solution Technique 93
3.9 The Thermodynamic Property Enthalpy 98
3.10 The Constant-Volume and Constant-Pressure Specific Heats 100
3.11 The Internal Energy, Enthalpy, and Specific Heat of Ideal Gases 102
3.12 Nonuniform Distribution of States and Mass 108
3.13 The Transient Heat Transfer Process 109
3.14 Engineering Applications 111

**4 Energy Analysis for a Control Volume 134**
4.1 Conservation of Mass and the Control Volume 134
4.2 The Energy Equation for a Control Volume 137
4.3 The Steady-State Process 140
4.4 Examples of Steady-State Processes 141
4.5 Multiple-flow Devices 152
4.6 The Transient Flow Process 154
4.7 Engineering Applications 159

**5 The Second Law of Thermodynamics 175**
5.1 Heat Engines, Refrigerators, and Heat Pump 175
5.2 The Second Law of Thermodynamics 182
5.3 The Reversible Process 186
5.4 Factors That Render Processes Irreversible 187
5.5 The Carnot Cycle 190
5.6 Two Propositions Regarding the Efficiency of a Carnot Cycle 192
5.7 The Thermodynamic Temperature Scale 193
5.8 The Ideal Gas Temperature Scale 194
5.9 Ideal Versus Real Machines 196
5.10 The Inequality of Clausius 200
5.11 Engineering Applications 204

**6 Entropy 215**
6.1 Entropy—A Property of a System 215
6.2 The Entropy of a Pure Substance 217
6.3 Entropy Change in Reversible Processes 219
6.4 The Thermodynamic Property Relation 224
6.5 Entropy Change of a Solid or Liquid 225
6.6 Entropy Change of an Ideal Gas 226
6.7 The Reversible Polytropic Process for an Ideal Gas 231
6.8 Entropy Change of a Control Mass During an Irreversible Process 235
6.9 Entropy Generation and the Entropy Equation 236
6.10 Principle of the Increase of Entropy 238
6.11 Entropy Balance Equation in a Rate Form 242
6.12 Some General Comments about Entropy and Chaos 246

**7 Entropy Analysis for a Control Volume 260**
7.1 The Entropy Balance Equation for a Control Volume 260
7.2 The Steady-State Process and the Transient Process 262

7.3 The Steady-State Single-Flow Process 269
7.4 Principle of the Increase of Entropy 273
7.5 Engineering Applications; Energy Conservation and Device Efficiency 277

8 Exergy 295
8.1 Exergy, Reversible Work, and Irreversibility 295
8.2 Exergy and Its Balance Equation 306
8.3 The Second Law Efficiency 311
8.4 Engineering Applications 316

9 Gas Power and Refrigeration Systems 325
9.1 Introduction to Power Systems 326
9.2 Air-Standard Power Cycles 327
9.3 The Stirling Cycle and the Ericsson Cycle 328
9.4 Reciprocating Engine Power Cycles 331
9.5 The Otto Cycle 333
9.6 The Diesel Cycle 336
9.7 The Dual Cycle 339
9.8 The Atkinson and Miller Cycles 341
9.9 The Brayton Cycle 344
9.10 The Simple Gas-Turbine Cycle with a Regenerator 350
9.11 Gas-Turbine Power Cycle Configurations 352
9.12 The Air-Standard Cycle for Jet Propulsion 356
9.13 Introduction to Refrigeration Systems 359
9.14 The Air-Standard Refrigeration Cycle 360

10 Vapor Power and Refrigeration Systems 375
10.1 The Simple Rankine Cycle 375
10.2 Effect of Pressure and Temperature on the Rankine Cycle 379
10.3 The Reheat Cycle 381
10.4 The Regenerative Cycle and Feedwater Heaters 383
10.5 Deviation of Actual Cycles from Ideal Cycles 388
10.6 Combined Heat and Power: Other Configurations 391
10.7 The Vapor-compression Refrigeration Cycle 394
10.8 Working Fluids for Vapor-compression Refrigeration Systems 396
10.9 Deviation of the Actual Vapor-compression Refrigeration Cycle from the Ideal Cycle 397
10.10 Refrigeration Cycle Configurations 399
10.11 The Absorption Refrigeration Cycle 401
10.12 Exergy Analysis of Cycles 403
10.13 Combined-cycle Power and Refrigeration Systems 405

11 Gas Mixtures 418
11.1 General Considerations and Mixtures of Ideal Gases 418
11.2 A Simplified Model of a Mixture Involving Gases and a Vapor 426
11.3 The Energy Equation Applied to Gas–Vapor Mixtures 430
11.4 The Adiabatic Saturation Process 432
11.5 Engineering Applications—Wet-Bulb and Dry-Bulb Temperatures and the Psychrometric Chart 434

12 Thermodynamic Relations 450
12.1 The Clapeyron Equation 450
12.2 Mathematical Relations for a Homogeneous Phase 453
12.3 The Maxwell Relations 455
12.4 Thermodynamic Relations Involving Enthalpy, Internal Energy, and Entropy 458
12.5 Volume Expansivity and Isothermal and Adiabatic Compressibility 464
12.6 Real-Gas Behavior and Equations of State 467
12.7 The Generalized Chart for Changes of Enthalpy at Constant Temperature 472
12.8 The Generalized Chart for Changes of Entropy at Constant Temperature 475
12.9 The Property Relation for Mixtures 478
12.10 Pseudopure Substance Models for Real Gas Mixtures 482
12.11 Engineering Applications 488

13 Chemical Reactions 499
13.1 Fuels 499
13.2 The Combustion Process 503
13.3 Enthalpy of Formation 509
13.4 Energy Analysis of Reacting Systems 512
13.5 Enthalpy and Internal Energy of Combustion; Heating Value 516
13.6 Adiabatic Flame Temperature 521
13.7 The Third Law of Thermodynamics and Absolute Entropy 523
13.8 Second-Law Analysis of Reacting Systems 524
13.9 Fuel Cells 529
13.10 Engineering Applications 533

14 Introduction to Phase and Chemical Equilibrium 545
14.1 Requirements for Equilibrium 545
14.2 Equilibrium Between Two Phases of a Pure Substance 547
14.3 Metastable Equilibrium 551
14.4 Chemical Equilibrium 553
14.5 Simultaneous Reactions 563
14.6 Coal Gasification 567
14.7 Ionization 568
14.8 Engineering Applications 570

15 Compressible Flow 578
15.1 Stagnation Properties 578
15.2 The Momentum Equation for a Control Volume 580
15.3 Adiabatic, One-Dimensional, Steady-State Flow of an Incompressible Fluid Through a Nozzle 583
15.4 Velocity of Sound in an Ideal Gas 585
15.5 Reversible, Adiabatic, One-Dimensional Flow of an Ideal Gas Through a Nozzle 587
15.6 Mass-Flow Rate of an Ideal Gas Through an Isentropic Nozzle 590
15.7 Normal Shock in an Ideal Gas Flowing Through a Nozzle 595
15.8 Nozzle and Diffuser Coefficients 601

Appendix A SI Units: Single-State Properties 611

Appendix B SI Units: Thermodynamic Tables 631

Appendix C Ideal Gas Specific Heat 681

C.1 Monatomic Gases (Inert Gases Ar, He, Ne, Xe, Kr; Also N, O, H, Cl, F, …) 681

C.2 Diatomic and Linear Polyatomic Gases ($N_2$, $O_2$, CO, OH, …, $CO_2$, $N_2O$, …) 681

C.3 Nonlinear Polyatomic Molecules ($H_2O$, $NH_3$, $CH_4$, $C_2H_6$, …) 682

Appendix D Equations of State 683

Appendix E Figures 688

Index 693

# SYMBOLS

| | |
|---|---|
| $a$ | acceleration |
| $A$ | area |
| $a, A$ | specific Helmholtz function and total Helmholtz function |
| $AF$ | air-fuel ratio |
| $B_S$ | adiabatic bulk modulus |
| $B_T$ | isothermal bulk modulus |
| $c$ | velocity of sound |
| c | mass fraction |
| $C_D$ | coefficient of discharge |
| $C_p$ | constant-pressure specific heat |
| $C_v$ | constant-volume specific heat |
| $C_{po}$ | zero-pressure constant-pressure specific heat |
| $C_{vo}$ | zero-pressure constant-volume specific heat |
| COP | coefficient of performance |
| CR | compression ratio |
| $e, E$ | specific energy and total energy |
| EMF | electromotive force, electrical potential, volt |
| ER | expansion ratio |
| $f$ | fugacity, pseudo pressure |
| F | Faradays constant |
| $F$ | force, also tension |
| $FA$ | fuel-air ratio |
| $g$ | acceleration due to gravity |
| $g, G$ | specific Gibbs function and total Gibbs function |
| $h, H$ | specific enthalpy and total enthalpy |
| HR, HP | enthalpy of reactants and enthalpy of products |
| HV | heating value |
| $i$ | electrical current |
| $i, I$ | specifc and total irreversibility |
| $k$ | conductivity |
| $k$ | specific heat ratio: $C_p/C_v$ |
| $K$ | equilibrium constant |
| ke, KE | specific and total kinetic energy |




**FIGURE E.4** Psychrometric chart.

# INDEX


A

Absolute entropy, *523–524*
  of substances, *629*
Absolute temperature, *196, 201*
Absolute temperature scale, *193*
Absorption refrigeration cycle, *401–403*
Accumulation, *135*
Acentric factor, *684*
Active flow devices and systems, control volume, *160–162*
Actual cycles, deviation of, *388–391*
Actual fuel–air ratio, *533*
Actual heat engines, *199–200*
Actual vapor-compression refrigeration cycle,
    deviation of, *397–399*
Adiabatic compressibility, *464–467*
Adiabatic flame temperature, *521–523*
Adiabatic flow, *583–584*
Adiabatic process, *88*
Adiabatic saturation process, *432–434*
Adiabatic saturation temperature, *432*
Air compressors, *25, 161*
Air conditioner, *61, 198*
Aircraft cooling, *361*
Air–fuel ratio, *501, 506, 507*
Air-standard cycle for jet propulsion, *356–359*
Air-standard Diesel cycle, *336–339*
Air-standard Otto cycle, *333–336*
Air-standard power cycles, *327–328*
Air-standard refrigeration cycle, *360–362*
Alcohols, *501*
Alternative energy systems, *279*
Ammonia, *179*
  pressure–enthalpy diagram for, *690*
Ammonia absorption refrigeration cycle, *402*
Aneroid barometer, *27*
Atkinson cycles, *341–344*
Atmospheric nitrogen, *504*
Atmospheric pressure, *17*
Automotive engine intake throttle, *27*
Automotive tire pressure gauges, *25*
Avedoere Power Station, *2*
Average velocity, *136*

B

Balance equation, exergy and, *306–311*
Ball valve, *160*
Benedict–Webb–Rubin (BWR) equation, *471*
Bernoulli, Daniel, *271*
Bernoulli equation, *584*
Biobutanol, *540*
Blocks of copper, *22*
Bore B, *331*
Bottom dead center (BDC), *333*
Brayton cycle, *344–350*
Bridge expansion joint, *62*
British thermal unit (Btu), *88*
Bunsen burner, *4*
Buoyancy effect, *63*

C

Calorie (cal), *88*
Capillary tube, *145*
Carbon, *511*
Carbon dioxide, phase diagram for, *41*
Carnot cycle, *190–192*
  efficiency of, *192–193*
  on temperature–entropy diagram, *220*
Carnot, Nicolas Leonard Sadi, *190*
Cascade refrigeration system, *400*
Celsius scale, *23, 24*
Centigrade scale, *23*
Centrifugal air compressor, *140, 161*
Centrifugal (irrigation) pump, *161*
Check valve, *160*

Chemical equilibrium, *7, 553–562*
coal gasification, *567–568*
engineering applications, *570–572*
equilibrium, requirements for, *545–547*
ionization, *568–570*
metastable equilibrium, *551–552*
pure substance, two phases of, *547–551*
simultaneous reactions, *563–567*
Chemical potential, *480*
Chemical reactions:
adiabatic flame temperature, *521–523*
combustion process, *503–509*
engineering applications, *533–536*
enthalpy and internal energy of combustion, *516–521*
enthalpy of formation, *509–511*
fuel cells, *529–533*
fuels, *499–503*
reacting systems, energy analysis of, *512–516*
second-law analysis of reacting systems, *524–529*
third law of thermodynamics and absolute entropy, *523–524*
Chemical systems, *116*
Chlorofluorocarbons (CFCs), *396*
Clapeyron equation, *450–453, 549*
Clausius, inequality of, *200–203*
Clausius statement, *182–185*
Closed cycle, *325*
Coal gasification, phase and chemical equilibrium, *567–568*
Coefficient of performance (COP), *180, 181, 360*
vapor-compression refrigeration cycle, *395*
Cogeneration system, vapor power, *391–394*
Cold air properties, *328*
Collins helium liquefier, *361*
Combined Brayton/Rankine-cycle power system, *406*
Combined-cycle power and refrigeration systems, *405–407*
Combined heat and power (CHP), *114, 391–394*
Combustion, *533*
Combustion process, *561–562*
chemical reactions, *503–509*
Compound pressure gauge, *26*
Compressed air system, *162*
Compressed liquid, *38*
Compressed liquid water, *646–647*
Compressed-solid region, *45*
Compressibility chart, low-pressure region of, *468*
Compressibility factor, *56–60*
Compressible flow, *578*
control volume, momentum equation for, *580–582*
ideal gas, reversible, adiabatic, one-dimensional flow of, *587–590*
ideal gas, velocity of sound in, *585–587*
incompressible fluid, adiabatic, one-dimensional, steady-state flow of, *583–584*
isentropic nozzle, mass-flow rate of ideal gas, *590–595*
nozzle and diffuser coefficients, *601–603*
nozzle, normal shock in ideal gas, *595–601*
stagnation properties, *578–580*
Compression ratio, *335*
Dual cycle, *340*
Compressor efficiency, *281*
Compressor, steady-state process, *146–148*
Condenser losses, *390*
Conduction, *199*
Conservation of energy, *71*
Conservation of mass, *134–137*
Constant enthalpy, *145*
Constant-pressure heating value, *517*
Constant-pressure process, *38, 221*
Constant-pressure specific heats, *100–102*
solids and liquids, *101–102*
Constant-temperature energy reservoirs, *197–199*
Constant-volume heating value, *517*
Constant-volume heats, *100–102*
solids and liquids, *101–102*
Continuity equation, *108, 135, 148, 152–155*
Control mass, *4, 94, 235–236*
Control mass process, *302–304*
Control surface, *134*
Control volume, *382*
conservation of mass and, *134–137*
energy conservation and device efficiency, *277–283*
energy equation for, *137–139*
entropy balance equation for, *260–261*
engineering applications, *159–164, 277–283*
momentum equation for, *580–582*
multiple-flow devices, *152–154*
principle, increase of, *273–277*
with several different subsystems, *73*
steady-state single-flow process, *269–273*
thermodynamic system and, *4–5*
transient flow process, *154–159*
transient process, *262–269*
Control-volume equations, *140*
Convection, *199*
Convective heat transfer, *89*
Convergent-divergent nozzle, *592, 598–599*
Convergent nozzle, *593*
Converging-diverging nozzle, *594–595*
Conversion, energy, *113–114*
Conversion factors, *612–614*
Coolers, control volume, *160*
Cooling effect of adiabatic saturation process, *439*
Coordinate system, for diatomic molecule, *21*
Critical constants, *615*
Critical-density ratio, *590*

Critical pressure, *38*
Critical-pressure ratio, *590*
Critical temperature, *38*
Critical-temperature ratio, *590*
Critical volume, *38*
Cryogenic fluids, *99*
Cubic equations, *60, 470*
Cubic equation of state, *683*
Cut-off ratio, Dual cycle, *340*
Cyclic heat engine, *204*
Cyclic machine, *74*
Cylinder pressure, *84*
Cylinder system, *14–15, 18–19*

D
Dalton model of gas mixtures, *420–425*
Dead state, *307*
Dehumidifier schematic, *439*
Density, *10–13*
Desuperheater, *162*
Device efficiency, entropy analysis, *277–283*
Diatomic molecule, coordinate system for, *21*
Diatomic polyatomic gases, *681–682*
Dichlorodifluoromethane ($CCl_2F_2$), *396*
Diesel cycle, *336–339*
Diesel engine, aftercooler for, *160*
Diffusers:
  control volume, *159–160*
  steady-state process, *145*
Diffuser coefficients, nozzle and, *601–603*
District heating, *392*
Dry-bulb temperatures, *434–440*
Dry saturated vapor, *37*
Dual cycle, *339–340*
Dual fluid heat exchanger, *142*

E
Electrical systems, *116*
Electricity, *113*
Electromotive force (EMF), *529–532*
Energy, *20–22, 246*
Energy analysis, of reacting systems, *512–516*
Energy conservation, entropy analysis, *277–283*
Energy consumption, *112*
Energy conversion, *113–114*
Energy conversion devices, *178*
Energy equation, *70–73, 215*
  constant-volume and constant-pressure specific heats, *100–102*
  for control volume, *137–139*
  definition of work, *75–79*
  engineering applications, *111–118*
  enthalpy, thermodynamic property, *98–100*
  gas–vapor mixtures, *430–432*
  heat, definition of, *88*
  heat transfer modes, *89–93*
  internal energy, enthalpy and specific heat of ideal gases, *102–108*
  problem analysis and solution technique, *93–97*
  simple compressible system, *80–87*
  transient heat transfer process, *109–111*
Energy resources, *111–113*
Energy storage, *114–116*
Energy transfer, *116–118, 135*
Energy transformation, *113–114*
Engineering applications:
  chemical reactions, *533–536*
  energy conversion and transformation, *113–114*
  energy resources, *111–113*
  energy storage, *114–116*
  energy transfer, *116–118*
  entropy analysis, *277–283*
  exergy, *316–317*
  gas mixtures, *434–440*
  phase and chemical equilibrium, *570–572*
  pure substance, *61–63*
  second law of thermodynamics, *204–206*
  thermodynamic relations, *488–491*
  thermodynamics, *24–28*
English Engineering System of Units, *9, 10, 23*
Enthalpy:
  at constant temperature, *472–475*
  energy equation, *102–108*
  and internal energy of combustion, *516–521*
  thermodynamic property, *98–100*
  thermodynamic relations, *458–464*
Enthalpy–entropy diagram for steam, *218*
Enthalpy of formation, *629*
  chemical reactions, *509–511*
Entropy:
  and chaos, *246–248*
  control mass during irreversible process, change of, *235–236*
  energy conservation and device efficiency, *277–283*
  engineering applications, *277–283*
  entropy balance equation, for control volume, *260–261*
  entropy balance equation, rate form, *242–246*
  entropy generation and entropy equation, *236–238*
  ideal gas, change of, *226–231*
  principle, increase of, *238–241, 273–277*
  property of system, *215–217*
  of pure substance, *217–219*
  reversible polytropic process, for ideal gas, *231–234*
  reversible processes, change in, *219–224*
  solid or liquid, change of, *225–226*

J
Jet engine, ideal gas-turbine cycle for, *358*
Jet pump, *161*
Joule (*J*), *76*

K
Kalina cycle, *407*
Kay's rule, *485*
Kelvin–Planck statement, *182–185*
Kilogram (kg), *9*
Kinetic energy of the control mass, *76–78*

L
Large axial-flow gas turbine compressor rotor, *161*
Large butterfly valve, *160*
Large wind turbine, *162*
Lee–Kesler equation, *61, 471–473, 476, 489, 684*
Lee–Kesler simple fluid, *684, 685*
Lewis-Randal rule, *482*
Linde-Hampson system, for liquefaction of gases, *400*
Linear polyatomic gases, *681–682*
Liquefaction of gases, Linde-Hampson system for, *400*
Liquefied natural gas (LNG), *62*
Liquid:
  constant-volume and constant-pressure specific heats, *101–102*
  entropy change, *225–226*
  properties of, *616*
Liquid crude oil, *501*
Liquid hydrocarbon fuels, *500, 501*
Liquid hydrogen, *501*
Liquid metal–water binary power system, *406*
Liquid octane, *522–523*
Liquid oxygen plant, *400*
Liquid propane–gaseous water, *520*
Liquid propane–liquid water, *519*
Liquid pumps, *161*
Liquid states, *49–50*
Liquid–vapor surface, *42, 43*
Liquid water, submerged in, *55*
Lost work, *299*
Lower heating value (LHV), *518*
Low-pressure ammonia vapor, *401*
Low-pressure region, of compressibility chart, *468*
Low-temperature fuel cells, *531*

M
Macroscale, *20*
Macroscopic point of view, *5–6*
Manual oil pump, *161*
Mass and energy transfers, *297*
Mass, conservation of, *134–137*
Mass-flow rate, *54, 136, 139*
  of ideal gas, isentropic nozzle, *590–595*
Maxwell relations, *455–458*
Mean solar day, *8*
Mean temperature of heat addition, *378*
Mechanical systems, *115*
Mercury barometer, *17*
Mercury (Hg) manometer, *17*
Metastable equilibrium, *551–552*
Methane, *505, 508*
Micro, *8*
Microscopic points of view, *5–6*
Miller cycles, *341–344*
Milli, *8*
Mixing chamber, *162*
Mixture:
  property relation for, *478–482*
  of two gases, *420*
Mole-basis analysis, of gaseous mixture yields, *419*
Mollier diagram, *217*
Momentum equation, for control volume, *580–582*
Monatomic gases, *681*
Multiflow devices, control volume, *162, 163*
Multiple-flow devices, *152–154*

N
Nano, *8*
Naphthalene, *500*
Natural gas furnace, *152*
Newton's second law of motion, *8, 10*
Nitrogen, *56*
  compressibility of, *57*
NJFB, *38*
Nonequilibrium process, *84*
Nonlinear polyatomic molecules, *682*
No phase, *101*
Nozzle:
  adiabatic, one-dimensional, steady-state flow, incompressible fluid, *583–584*
  control volume, *159–160*
  and diffuser coefficients, *601–603*
  normal shock in ideal gas, *595–601*
  reversible, adiabatic, one-dimensional flow, ideal gas, *587–590*
  steady-state process, *144–145*
Nozzle pressure ratio, *592*

O
Ocean exploration, research submarine for, *18*
One-dimensional flow, *583–584*
One-dimensional isentropic compressible-flow functions, *609, 610*
One-dimensional normal shock, *595*
Open cycle, *325*
Organic Rankine Cycles (ORC), *392*
Otto cycle, *325, 333–336*
Oxy-combustion, *533*
Oxygen, pressure-enthalpy diagram for, *691*

P
Partial derivatives, *454, 455*
Pascal (Pa), *13, 14, 16*
Passive devices, control volume, *159–160*
Path function, *81*
Percent theoretical air, *505*
Perpetual motion machines, *204*
Petroleum distillation column, *502*
Phase boundaries, *36–42*
Phase equilibrium:
  coal gasification, *567–568*
  engineering applications, *570–572*
  equilibrium, requirements for, *545–547*
  ionization, *568–570*
  metastable equilibrium, *551–552*
  pure substance, two phases of, *547–551*
  simultaneous reactions, *563–567*
Pico, *8*
Pinch point, *412*
Pipeline gate valve, *160*
Piping losses, *389*
Piston cylinder, *73*
Piston/cylinder-type compressor, *147*
Point functions, *81*
Polyatomic molecules, *21*
Polymer electrolyte cell (PEC), *532*
Polytropic process, *231, 232*
  simple compressible system, *85–87*
Pound, *10*
Power-generating devices, *2*
Power plant, steady-state process, *149–152*
Power systems, *325–327*
  air-standard cycle for jet propulsion, *356–359*
  air-standard power cycles, *327–328*
  Atkinson and Miller cycles, *341–344*
  Brayton cycle, *344–350*
  Diesel cycle, *336–339*
  Dual cycle, *339–340*
  gas-turbine power cycle configurations, *352–356*
  Otto cycle, *333–336*
  reciprocating engine power cycles, *331–333*
  simple gas-turbine cycle with regenerator, *350–352*
  Stirling cycle and Ericsson cycle, *328–331*
Pressure, *13–19, 24*
Pressure–enthalpy diagram:
  for ammonia, *690*
  for oxygen, *691*
Pressure ratio, *350*
Pressure relief valve, schematic of, *26*
Problem analysis and solution technique, *93–97*
Products, *503*
Propane, *59, 519–521*
Property relation for mixtures, *478–482*
Pseudopure substance models, for real gas mixtures, *482–487*
Psychrometer, *434*
Psychrometric chart, *434–440, 692*
*P–T* diagram, *40*
Pump, steady-state process, *146–148*
Pump losses, *389*
Pure substance, *35–36*
  compressibility factor, *56–60*
  engineering applications, *61–63*
  entropy of, *217–219*
  equations of state, *60–61*
  ideal gas states, *53–56*
  liquid and solid states, *49–50*
  phase boundaries, *36–42*
  *P–v–T* surface, *42–45*
  superheated vapor states, *50–53*
  thermodynamic properties, tables of, *45–47*
  two phases of, *547–551*
  two-phase states, *47–48*
*P–v* diagram, *80*
  polytropic process on, *232*
  reversible and irreversible processes on, *238*
  transient flow process, *158*
*P–v–T* behavior:
  pseudopure substance models for real gas mixtures, *482–487*
  real-gas behavior and equations of state, *467*
*P–v–T* surface, *42–45*

Q
Quasi-equilibrium process, *80–83*

R
R-134a, *142, 143, 179, 398*
Radiation, *199*
Railroad tracks, *62*
Rankine cycle, *375–378, 407*

pressure and temperature on, *37–38*
Rate form, entropy balance equation, *243–246*
Rayleigh line, *507*
Reactants, *560*
Reacting systems, energy analysis of, *525–536*
Real-gas behavior, *96–97*
Real gas mixtures, pseudoproperties (Kay's rule) for, *482–485*
Real heat engine, *190*
Real machines, second law of thermodynamics, *199–200*
Reciprocating engine power cycles, *331–338*
Recuperator, *385*
Redlich–Kwong equation, *485–487*
Reference state, *96, 99*
Refrigerant R-410A, *225*
Refrigeration cycle, *438*
  configurations, *399–401*
Refrigeration systems, *359–360*
  air-standard refrigeration cycle, *360–362*
  combined-cycle power and, *405–407*
Refrigerator, *35, 61*
  second law of thermodynamics, *175–182*
  steady-state process, *149–152*
Regenerative cycle, *383–388*
Regenerator, simple gas-turbine cycle with, *350–352*
Reheat, *278*
Reheat cycle, *381–385*
Relative volume functions, *620*
Reversible adiabatic steam turbine, *279–281*
Reversible cycles, entropy, *215*
Reversible heat engine/refrigerator, *201*
Reversible heat transfer, with surroundings, *241*
Reversible polytropic process, for ideal gas, *231–234*
Reversible process:
  entropy change in, *219–224*
  second law of thermodynamics, *186–187*
Reversible work, *295–299*
  control mass process, *302–304*
  steady-state process, *300–302*
  transient process, *304–306*
Rotating pump, *161*

S

Saturated ammonia, *650–651*
Saturated carbon dioxide, *656–657*
Saturated hydrocarbons, *500*
Saturated liquid, *37*
Saturated liquid-saturated vapor mixture, *37*
Saturated methane, *676–677*
Saturated nitrogen, *672*
Saturated R-134a, *666–667*
Saturated R-410A, *660–661*
Saturated solid, *38*
Saturated solid-saturated vapor water, *640–649*
Saturated vapor R-410A, *275*
Saturated water, *632–635*
Saturated water pressure entry, *636–638*
Saturation pressure, *37*
Second-law analysis of reacting systems, chemical potential, *529–539*
Second-law efficiency, *330–338, 355*
Second law of thermodynamics, *173–175*
  Carnot cycle, *196–199*
  engineering applications, *204–206*
  factors, familiar processes irreversible, *187–190*
  heat engines, refrigerators and heat pumps, *175–182*
  ideal gas temperature scale, *196–198*
  ideal versus real machines, *196–200*
  inequality of Clausius, *200–203*
  reversible process, *186–187*
  thermodynamic temperature scale, *193–194*
  two propositions, efficiency of Carnot cycle, *192–193*
Second virial coefficient, *469*
Shell and tube heat exchanger, *160*
Sign convention, *71*
Simple compressible system, *7, 80–84*
  polytropic process, *85–87*
Simple fan, *161*
Simple gas-turbine cycle, with regenerator, *350–352*
Simple Rankine cycle, *375–378*
Simple steam power plant, *177*
Simple vapor-compression refrigeration cycle, *180*
Simultaneous reactions, phase and chemical equilibrium, *563–567*
Sink, *182*
SI units, *9, 11, 14*
  air, standard entropy, ideal gas properties of, *619*
  conversion factors, *612–614*
  critical constants, *615*
  enthalpy of formation and absolute entropy of substances, *629*
  equilibrium constant, logarithms, *630*
  fundamental physical constants, *611*
  ideal gases, constant-pressure specific heats, *618*
  ideal gases, properties of, *617*
  isentropic relative pressure and relative volume functions, *620*
  liquids, properties of, *616*
  solids, properties of, *616*
  substances, entropies, ideal gas properties of, *621–628*
Solid–liquid–vapor equilibrium, metastable states for, *552*
Solid–liquid–vapor triple-point, *40*
Solid oxide cell (SOC), *532*
Solids:
  constant-volume and constant-pressure specific heats, *101–102*

entropy change, 225–226
properties of, 616
Solid states, 9–10
Solutions, 498
Sonic velocity, 585
Sources, 302
Specific heat equation of state for incompressible substance, 205
Specific energy, of blowdown, 96
Specific heat, 108
of ideal gases, energy equation, 202–208
Specific volume of a substance, 10–13
Specific work, 77
Spring-loaded pressure relief valve, 20
Stable compounds, 511
Stagnation state, compressible flow, 578–580
Stainless steel tanks, 61
State Postulate, 7
Steady-flow devices, 164
Steady-state flow, 583–584
exergy, reversible work, and irreversibility, 300–302
Steady-state process, 140–141
compressor and pump, 146–148
diffuser, 145
heat engine, 177
heat exchanger, 142–144
nozzle, 144–145
power plant and refrigerator, 149–152
throttle, 145
turbine, 146
Steady-state single-flow process, entropy analysis, 269–273
Steam extractions, 162
Steam power plant, 3
Steam tables, 45–46
Steam turbine shaft, 162
Stirling cycle, 328–331
Stoichiometric coefficients, 504, 563
Stoichiometric mixture, 505
Storage, energy, 114–116
Structure of the molecule, 500
Subcooled liquid, 37
Subcooled solid, 49
Sublimation, 42
Substance, 6–7, 511
Superheated ammonia, 652–655
Superheated carbon dioxide, 658–659
Superheated methane, 678–680
Superheated nitrogen, 673–675
Superheated R-134a, 668–671
Superheated R-410A, 662–665
Superheated vapor, 38, 50, 142
Superheated vapor region, 58
Superheated vapor states, 50–53
Superheated vapor steam, internal energy of, 180
Superheated vapor water, 660–665
Supersaturation, 522
Surface tension, 499
Sustainable energy systems, 22
Syngas, 506

T

Temperature–entropy diagram:
Carnot cycle on, 220
internally reversible process, 221
for steam, 218
for water, 689
Temperature, equality of, 22
Temperature scales, 23–24
Theoretical air, 504
Thermal efficiency, 535
of Otto cycle, 334
Thermal reservoir, 182
Thermal systems, 115
Thermistors, 28
Thermocouples, 28
Thermodynamic(s), 1
energy, 20–22
engineering applications, 24–28
equality of temperature, 22
historical developments in, 205, 206
macroscopic *versus* microscopic points of view, 5–6
pressure, 13–19
processes and cycles, 7–8
properties and state of substance, 6–7
specific volume and density, 10–13
temperature scales, 23–24
zeroth law of, 22–23
Thermodynamic equilibrium, 7
Thermodynamic probability, 247
Thermodynamic properties, 91–93
enthalpy, 98–100
entropy, 224–225
tables of, 45–47
Thermodynamic relations:
change of enthalpy at constant temperature, 472–475
change of entropy at constant temperature, 475–478
Clapeyron equation, 450–453
engineering applications, 488–491
enthalpy, internal energy and entropy, 458–464
homogeneous phase, mathematical relations for, 453–455
Maxwell relations, 455–458
property relation for mixtures, 478–482
pseudopure substance models for real gas mixtures, 482–487
real-gas behavior and equations of state, 467–472

special applications, *490–491*
thermodynamic tables, *488–490*
volume expansivity and isothermal and adiabatic compressibility, *464–467*
Thermodynamic scale of temperature, *24*
Thermodynamic system, and control volume, *4–5*
Thermodynamic tables, *488–490*
compressed liquid water, *646–647*
saturated ammonia, *650–651*
saturated carbon dioxide, *656–657*
saturated methane, *676–677*
saturated nitrogen, *672*
saturated R-134a, *666–667*
saturated R-410A, *660–661*
saturated solid-saturated vapor, water, *648–649*
saturated water, *632–635*
saturated water pressure entry, *636–639*
superheated ammonia, *652–655*
superheated carbon dioxide, *658–659*
superheated methane, *678–680*
superheated nitrogen, *673–675*
superheated R-134a, *668–671*
superheated R-410A, *662–665*
superheated vapor water, *640–645*
Thermodynamic temperature scale, *193–194*
Third law of thermodynamics, chemical reactions, *523–524*
Throttle:
control volume, *159–160*
steady-state process, *145*
Top dead center (TDC), *333*
Total energy (*E*), *70*
Transfer, energy, *116–118*
Transformation, energy, *113–114*
Transient flow process, *154–159*
Transient heat transfer process, *109–111*
Transient process:
entropy analysis, *262–269*
exergy, reversible work, and irreversibility, *304–306*
Translational energy, *20*
Triple point, *39–40*
Triple point of water, *23*
*T–s* diagram:
Carnot-cycle efficiency and Rankine-cycle efficiency, *384*
losses, boiler and turbine, *390*
polytropic process on, *232*
reversible and irreversible processes on, *238*
turbine and pump inefficiencies, *389*
Turbine, *35*
steady-state process, *146*
Turbine losses, *389*
Turbofan jet engine, *357*
*T–v* diagram, *38, 39, 48*
problem analysis and solution technique, *94, 96, 97*
Two-cycle cascade refrigeration system, *401*
Two-fluid heat exchanger, *313*
Two-phase states, *47–48*
Two-stage compression dual-loop refrigeration system, *399*
Typical arrangement, *388*

U

Unit for power, *77*
Universal gas constant, *54*
Unrestrained expansion, irreversible process, *188*
Unsaturated hydrocarbons, *500*

V

Vacuum gauge, with-*t*-fitting, *25*
Valves, control volume, *159–160*
van der Waals equation, *471, 486*
Vapor-compression refrigeration cycle, *394–396*
Vapor-compression refrigeration systems, working fluids for, *396–397*
Vapor-compression refrigerator cycle, *179*
Vapor, gases and, *426–429*
Vapor power and refrigeration systems
absorption refrigeration cycle, *401–403*
actual vapor-compression refrigeration cycle, deviation of, *397–399*
combined-cycle power and refrigeration systems, *405–407*
combined heat and power, *391–394*
deviation of actual cycles from ideal cycles, *388–391*
exergy analysis of cycles, *403–405*
Rankine cycle, pressure and temperature on, *379–381*
refrigeration cycle configurations, *399–401*
regenerative cycle and feedwater heaters, *383–388*
reheat cycle, *381–383*
simple Rankine cycle, *375–378*
vapor-compression refrigeration cycle, *394–396*
vapor-compression refrigeration systems, working fluids for, *396–397*
Velocity coefficient, *602*
Velocity of sound, in ideal gas, *585–587*
Virial coefficients, *469*
Volume expansivity, *464–467*
Volume-flow rate, *55*

W

Water–gas reaction, *558*
Water–gas shift equilibrium reaction, *567*
Water phase diagram, *41*
Water, temperature–entropy diagram for, *689*

Water vapor, *35*
Weight, *10*
Wet-bulb temperatures, *434–440*
Work, definition of, *75–79*
Working fluid, *179*
  for vapor-compression refrigeration systems, *396–397*
Working substance, *176*

Z
Zero-pressure specific heat, *104*
Zeroth law of thermodynamics, *22–23*