



MECHANICS OF MATERIALS

NINTH EDITION

Barry J. Goodno | James M. Gere

 CENGAGE
Learning

CERTIFIED
OFFICIAL
PRODUCT



Mechanics of Materials

Ninth Edition

Barry J. Goodno

Georgia Institute of Technology

James M. Gere

Professor Emeritus, Stanford University



Australia • Brazil • Japan • Korea • Mexico • Singapore • Spain • United Kingdom • United States

About the Authors ix

Preface xi

MindTap Online Course xviii

Symbols xxi

Greek Alphabet xxiv

1. Tension, Compression, and Shear 1

- 1.1 Introduction to Mechanics of Materials 2
- 1.2 Problem-Solving Approach 2
- 1.3 Statics Review 3
- 1.4 Normal Stress and Strain 22
- 1.5 Mechanical Properties of Materials 31
- 1.6 Elasticity, Plasticity, and Creep 38
- 1.7 Linear Elasticity, Hooke's Law, and Poisson's Ratio 44
- 1.8 Shear Stress and Strain 50
- 1.9 Allowable Stresses and Allowable Loads 63
- 1.10 Design For Axial Loads and Direct Shear 70
 - Chapter Summary and Review 74
 - Problems 77

2. Axially Loaded Members 119

- 2.1 Introduction 120
- 2.2 Changes in Lengths of Axially Loaded Members 120
- 2.3 Changes in Lengths under Nonuniform Conditions 128
- 2.4 Statically Indeterminate Structures 142
- 2.5 Thermal Effects, Misfits, and Prestrains 155
- 2.6 Stresses on Inclined Sections 174
- 2.7 Strain Energy 186
- *2.8 Impact Loading 197
- *2.9 Repeated Loading and Fatigue 205
- *2.10 Stress Concentrations 207
- *2.11 Nonlinear Behavior 214
- *2.12 Elastoplastic Analysis 218
 - Chapter Summary and Review 225
 - Problems 227

3. Torsion 273

- 3.1 Introduction 274
- 3.2 Torsional Deformations of a Circular Bar 274
- 3.3 Circular Bars of Linearly Elastic Materials 277
- 3.4 Nonuniform Torsion 290
- 3.5 Stresses and Strains in Pure Shear 302
- 3.6 Relationship Between Moduli of Elasticity E and G 309
- 3.7 Transmission of Power by Circular Shafts 311
- 3.8 Statically Indeterminate Torsional Members 315
- 3.9 Strain Energy in Torsion and Pure Shear 319
- 3.10 Torsion of Noncircular Prismatic Shafts 326
- 3.11 Thin-Walled Tubes 336
- *3.12 Stress Concentrations in Torsion 344
 - Chapter Summary and Review 349
 - Problems 352

4. Shear Forces and Bending Moments 377

- 4.1 Introduction 378
- 4.2 Types of Beams, Loads, and Reactions 378
- 4.3 Shear Forces and Bending Moments 388
- 4.4 Relationships Among Loads, Shear Forces, and Bending Moments 396
- 4.5 Shear-Force and Bending-Moment Diagrams 400
 - Chapter Summary and Review 427
 - Problems 429

5. Stresses in Beams (Basic Topics) 445

- 5.1 Introduction 446
- 5.2 Pure Bending and Nonuniform Bending 446
- 5.3 Curvature of a Beam 447

- 5.4 Longitudinal Strains in Beams 449
 - 5.5 Normal Stress in Beams (Linearly Elastic Materials) 453
 - 5.6 Design of Beams for Bending Stresses 466
 - 5.7 Nonprismatic Beams 476
 - 5.8 Shear Stresses in Beams of Rectangular Cross Section 480
 - 5.9 Shear Stresses in Beams of Circular Cross Section 488
 - 5.10 Shear Stresses in the Webs of Beams with Flanges 491
 - *5.11 Built-Up Beams and Shear Flow 498
 - *5.12 Beams with Axial Loads 502
 - *5.13 Stress Concentrations in Bending 509
 - Chapter Summary and Review 514
 - Problems 518
- 6. Stresses in Beams (Advanced Topics) 553**
- 6.1 Introduction 554
 - 6.2 Composite Beams 554
 - 6.3 Transformed-Section Method 563
 - 6.4 Doubly Symmetric Beams with Inclined Loads 571
 - 6.5 Bending of Unsymmetric Beams 578
 - 6.6 The Shear-Center Concept 589
 - 6.7 Shear Stresses in Beams of Thin-Walled Open Cross Sections 590
 - 6.8 Shear Stresses in Wide-Flange Beams 593
 - 6.9 Shear Centers of Thin-Walled Open Sections 597
 - *6.10 Elastoplastic Bending 605
 - Chapter Summary and Review 614
 - Problems 616
- 7. Analysis of Stress and Strain 639**
- 7.1 Introduction 640
 - 7.2 Plane Stress 640
 - 7.3 Principal Stresses and Maximum Shear Stresses 648
 - 7.4 Mohr's Circle for Plane Stress 656
 - 7.5 Hooke's Law for Plane Stress 669
 - 7.6 Triaxial Stress 675
 - 7.7 Plane Strain 679
 - Chapter Summary and Review 694
 - Problems 697
- 8. Applications of Plane Stress (Pressure Vessels, Beams, and Combined Loadings) 719**
- 8.1 Introduction 720
 - 8.2 Spherical Pressure Vessels 720
 - 8.3 Cylindrical Pressure Vessels 726
 - 8.4 Maximum Stresses in Beams 733
 - 8.5 Combined Loadings 741
 - Chapter Summary and Review 766
 - Problems 768
- 9. Deflections of Beams 787**
- 9.1 Introduction 788
 - 9.2 Differential Equations of the Deflection Curve 788
 - 9.3 Deflections by Integration of the Bending-Moment Equation 793
 - 9.4 Deflections by Integration of the Shear-Force and Load Equations 804
 - 9.5 Method of Superposition 809
 - 9.6 Moment-Area Method 818
 - 9.7 Nonprismatic Beams 826
 - 9.8 Strain Energy of Bending 831
 - *9.9 Castigliano's Theorem 836
 - *9.10 Deflections Produced by Impact 848
 - *9.11 Temperature Effects 850
 - Chapter Summary and Review 854
 - Problems 856
- 10. Statically Indeterminate Beams 883**
- 10.1 Introduction 884
 - 10.2 Types of Statically Indeterminate Beams 884

- 10.3 Analysis by the Differential Equations of the Deflection Curve 887
- 10.4 Method of Superposition 893
- *10.5 Temperature Effects 907
- *10.6 Longitudinal Displacements at the Ends of a Beam 914
 - Chapter Summary and Review 917
 - Problems 919
- 11. Columns 933**
 - 11.1 Introduction 934
 - 11.2 Buckling and Stability 934
 - 11.3 Columns with Pinned Ends 942
 - 11.4 Columns with Other Support Conditions 951
 - 11.5 Columns with Eccentric Axial Loads 960
 - 11.6 The Secant Formula for Columns 965
 - 11.7 Elastic and Inelastic Column Behavior 970
 - 11.8 Inelastic Buckling 972
 - 11.9 Design Formulas for Columns 977
 - Chapter Summary and Review 993
 - Problems 996
- References and Historical Notes 1019
- APPENDIX A: Systems of Units and Conversion Factors 1029
- APPENDIX B: Problem Solving 1043
- APPENDIX C: Mathematical Formulas 1051
- APPENDIX D: Review of Centroids and Moments of Inertia 1057
- APPENDIX E: Properties of Plane Areas 1083
- APPENDIX F: Properties of Structural-Steel Shapes 1089
- APPENDIX G: Properties of Structural Lumber 1101
- APPENDIX H: Deflections and Slopes of Beams 1103
- APPENDIX I: Properties of Materials 1109
- Answers to Problems 1115
- Index 1153

*A star attached to a section number indicates a specialized and/or advanced topic.

A

- Absolute weight, 1032
- Acceleration of gravity, 1033
- Adjustment factor, 982
- Allowable loads, 65–55, 978
 - net area, 65
- Allowable stress, 64–65, 982
 - ultimate stress, 65
- Allowable stress design (ASD), 978
- Aluminum, 980–982
- Aluminum alloys, 35–36
 - offset method, 35
 - offset yield stress, 36
- Aluminum structural sections, 467
- Alternative sign convention for shear stress, 661
- Angle of rotation, 789
- Angle of twist, 275–276, 280–281, 340–341
 - pure torsion, 280
 - torsional flexibility, 280
 - torsional rigidity, 280, 341
 - torsional stiffness, 280
- Angle section, 600–601
- Anisotropic materials, 47
- Apparent weight, 1032
- Applied forces, 4–5
- Atmospheric pressure, 1033, 1038
- Average bearing stress, 50
- Average shear stress, 53
- Axial displacement diagram (ADD), 131–132
- Axial force, 22–23, 502
- Axial force diagram (AFD), 131
- Axially loaded members, 119–272
 - changes in lengths, 120–128
 - changes in lengths under nonuniform conditions, 128–142
 - elastoplastic analysis, 218–224
 - impact loading, 197–205
 - introduction, 120
 - nonlinear behavior, 214–218
 - repeated loading and fatigue, 205–207
 - statically indeterminate structures, 142–155
 - strain energy, 186–197
 - stress concentrations, 207–213
 - stresses on inclined sections, 174–185
 - thermal effects, misfits, and prestrains, 155–173
- Axial release, 380
- Axial stress, 726

B

- Bars, 128–131
 - continuously varying loads or dimensions, 130–131
 - intermediate axial loads, 128–129
 - length changes, 215–216
 - limitations, 131
 - maximum elongation, 198–199
 - maximum stress, 199–200
 - prismatic segments, 129–130
- Base units, 1030
- Beam axial load, 502–508
 - axial force, 502
 - bending moment, 503
 - combined stresses, 503
 - eccentric axial loads, 503–505
 - limitations, 505
 - stress resultants, 502
- Beam-column, 963
- Beam cross section, 449, 457
- Beam curvature, 447–448
 - center of curvature, 447
 - curvature, 447–448
 - radius of curvature, 447
 - sign convention for curvature, 448
 - small deflections, 448
- Beam deflection, 787–881
 - bending-moment equation, 793–803
 - Castiglano's theorem, 836–847
 - deflection curve and differential equations, 788–793
 - impact, 848–850
 - method of superposition, 809–818
 - moment-area method, 818–826
 - nonprismatic beams, 826–831
 - shear-force and load equations, 804–809
 - strain energy of bending, 831–836
 - tables, 810
 - temperature effects, 850–852
- Beam design for bending stresses, 466–476
 - beam shape efficiency, 468–469
 - required section modulus, 466
 - standard shapes and sizes, 467–468
- Beam of rectangular cross section, 608–610
 - bending moment, 610
 - elastic core, 609–610
 - plastic modulus, 608
 - plastic moment, 608
 - shape factor, 609
 - yield moment, 608
- Beam of wide-flange shape, 610
- Beam shape efficiency, 468–469
 - ideal cross-sectional shape, 469
 - solid circular cross section, 469
- Beam shapes and sizes, 467–468
 - aluminum structural sections, 467
 - structural-steel sections, 467
 - wood beams, 468
- Beams, loads, and reactions, 378–388
 - beam with overhang, 378
 - cantilever beam, 378
 - conventional symbol, 379
 - fixed support, 378
 - idealized model, 380
 - internal releases, 380–382
 - load types, 380
 - pin support, 378
 - reactions, 380
 - roller support, 378
 - simple beam, 378
- Beams of rectangular cross section, 733–736
 - stress contour, 735
 - stress trajectories, 735
- Beam structure, 12
- Beam with overhang, 378
- Beam with small rotation angle, 790–791
- Bearing area, 51
- Bearing stresses, 50
- Bending moment, 503, 610
- Bending-moment equation, 943
- Bending-moment equation and deflection, 792–803
 - boundary conditions, 793
- continuity conditions, 794
- method of successful integration, 794
- symmetry condition, 794

- Bending stresses, 455
- Bernoulli, J., 1019
- Biaxial stress, 645, 653
- Bolts, 167
- Boundary conditions, 793, 956–957
- Box beam, 498
- Bredt, R., 1021
- Bredt's theory of torsion, 341
- Brittle materials, 36–37
 - glass fibers, 36
- Buckled mode shape, 954
- Buckling and stability, 934–941
 - buckling model, 934
 - critical load, 935–936
 - idealized structure, 934
 - neutral equilibrium, 936
 - restoring moment, 935
 - stable structure, 935
 - summary, 936–937
 - unstable structure, 935
- Buckling equation, 945
- Buckling model, 934
- Built-up beams and shear flow, 498–502
 - areas used when calculating first moment Q , 500–501
 - box beam, 498
 - glulam beam, 498
 - plate girder, 498, 500
 - shear-flow formula, 500
 - wide-flange beam, 500
 - wood box beam, 501
- Bulk modulus of elasticity, 678–679

C

- Cables, 122–123
 - effective area, 122
 - effective modulus, 122
 - elongation, 123
 - metallic area, 122
 - wire rope, 122
- Camber, 40
- Cantilever beam, 378
- Castiglano, A., 1024
- Castiglano's theorem, 836–847
 - application, 838–839
 - derivation, 836–838
 - differentiation under integral sign, 841–842
 - modified Castiglano's theorem, 841s
 - use of fictitious load, 839–841
- Cauchy, A.L., 1023
- Celsius temperature scale, 1038–1039
- Center of curvature, 447, 789
- Center of symmetry, 1058
- Centroids and moments of inertia, 1057–1082
 - centroids of composite areas, 1060–1062
 - centroids of plane areas, 1057–1059
 - moments of inertia of plane areas, 1062–1064
 - parallel-axis theorem for moments of inertia, 1065–1067
 - polar moments of inertia, 1068–1069
 - principal axes and principal moments of inertia, 1073–1076

- products of inertia, 1069–1071
 - rotation of axes, 1072–1073
 - Centroids of composite areas, 1060–1062
 - Centroids of plane areas, 1057–1059
 - center of symmetry, 1058
 - first moments, 1057
 - irregular boundaries, 1058
 - symmetric about an axis, 1058
 - symmetric about a point, 1058
 - two axes of symmetry, 1058
 - Channel section, 597–600
 - Circular bars of linearly elastic materials, 277–289
 - angle of twist, 280–281
 - circular tubes, 281–282
 - Hooke's law in shear, 278
 - limitations, 282
 - polar moment of inertia, 279
 - torsion formula, 279–280
 - Circular cross section, 488
 - Circular tubes, 277, 281–282
 - Circumferential stress, 726–727
 - Clapeyron, B.P.E., 1021
 - Clebsch, A., 1025
 - Coil springs, 120
 - Column fixed at base and free at top, 952–954
 - buckled mode shape, 954
 - Column fixed at base and pinned at top, 956–958
 - boundary conditions, 956–957
 - Columns, 933–1017
 - buckling and stability, 934–941
 - design formulas, 977–992
 - eccentric axial loads, 960–965
 - effective lengths, 954–955
 - elastic and inelastic behavior, 970–972
 - inelastic buckling, 971–977
 - introduction, 934
 - optimum shapes, 949
 - other support conditions and limitations, 951–960
 - pinned ends, 942–951
 - secant formula, 965–970
 - Column stability factor, 983
 - Column with both ends fixed against rotation, 955
 - Combined loadings, 741–765
 - analysis method, 742
 - critical point selection, 744
 - illustration method, 742
 - Combined stresses, 503
 - Compatibility equations, 143
 - Composite area, 1063
 - Composite beams, 554–562
 - bending theory for sandwich beams, 557–558
 - limitations, 558
 - moment-curvature relationship, 556–557
 - neutral axis, 556
 - normal stresses, 557
 - sandwich beams, 554
 - strains and stresses, 554–555
 - Composites, 37
 - filament-reinforced material, 37
 - Compression, 37
 - Compression test, 32
 - Compressive strain, 25
 - Compressive stresses, 24
 - Concentrated loads, 380, 399–404, 832
 - Constants of integration, 944
 - Continuity conditions, 794
 - Continuous beam, 886
 - Conventional stress-strain curve, 35
 - Conventional symbols, 379
 - Conversions between unit systems, 1039–1041
 - Coordinate axes, 446
 - Couple, 53, 274, 380
 - Creep, 39–40
 - camber, 40
 - relaxation, 39
 - Critical load, 935–936, 942, 945–946
 - Euler buckling, 946
 - Euler load, 946
 - fundamental case, 946
 - higher mode, 946
 - Critical points, 743–744
 - Critical slenderness ratio, 971
 - Critical stress, 947–948
 - Euler's curve, 948
 - radius of gyration, 947
 - Cross section, 23
 - Curvature, 447–448
 - exact expression, 792–793
 - Curvature shortening, 914–915
 - Cylindrical pressure vessels, 726–733
 - axial stress, 726
 - circumferential stress, 726–727
 - comments, 728
 - hoop stress, 726
 - inner surface stress, 728
 - longitudinal stress, 726–727
 - outer surface stress, 727–728
- ## D
- Deflection, 446, 788
 - Deflection curve, 446, 788, 944
 - analysis using differential equations, 887–893
 - angle of rotation, 789
 - beams with small rotation angle, 790–791
 - center of curvature, 789
 - curvature expression, 792–793
 - differential equations, 788–793, 909–910
 - nonprismatic beams, 791–792
 - prismatic beams, 792
 - sign convention, 789, 791
 - slope, 789
 - Deflections and slopes of beams, 1103–1108
 - Deformation sign conventions, 390
 - Degree of static indeterminacy, 884
 - Derived units, 1031
 - Design for axial loads and direct shear, 70–73
 - Design formulas for columns, 977–992
 - allowable load, 978
 - allowable stress design (ASD), 978
 - aluminum, 980–982
 - limitations, 984
 - structural steel, 979–980
 - trial-and-error procedure for selecting column, 978
 - wood, 982–984
 - Differential equation, 788–793
 - of deflection curve, 851, 909–910
 - Differential equation for column buckling, 943–944
 - bending-moment equation, 943
 - buckling equation, 945
 - deflection curve, 944
 - Differential equation solution, 944–945
 - constants of integration, 944
 - general solution, 944
 - Dimension, 1047
 - Dimensional homogeneity, 1047–1048
 - Dimensionless quantity, 25
 - Direct shear, 53
 - Displacement method of analysis, 144, 155
 - Distributed loads, 380, 396–398, 811–812
 - bending moment, 398
 - shear force, 396–397
 - Double shear, 51
 - Doubly symmetric beams with inclined loads, 571–578
 - inclined load, 571
 - neutral axis, 572
 - neutral axis and load inclination, 573
 - normal stresses, 572
 - sign conventions for bending moments, 571–572
 - Doubly symmetric cross beam, 556
 - Doubly symmetric cross section, 590
 - Doubly symmetric shapes, 456–457
 - circular cross section, 457
 - rectangular cross section, 457
 - Ductility, 35
 - Ductility and elongation, 36
 - percent elongation, 36
 - percent reduction in area, 36
 - Dynamic load, 197
 - Dynamic test, 32
- ## E
- Eccentric axial loads, 503–505
 - neutral stress, 504
 - normal stress, 504
 - Eccentric axial loads and columns, 960–965
 - equation of deflection curve, 961
 - maximum deflection, 961–963
 - other end conditions, 963
 - Eccentricity ratio, 966
 - Effective-length factor, 955
 - Effective lengths for columns, 954–955
 - Elastic and inelastic behavior of columns, 970–972
 - critical slenderness ratio, 971
 - factor of safety, 972
 - inelastic buckling, 971
 - intermediate slenderness ratio, 972
 - load test, 972
 - strength limit, 972
 - Elastic core, 605, 609–610
 - Elasticity, 38
 - Elasticity, plasticity, and creep, 38–44
 - creep, 39–40
 - elasticity, 38
 - elastic limit, 38
 - material reloading, 39
 - partially elastic, 38
 - permanent set, 38
 - plastic flow, 39
 - plasticity, 38
 - residual strain, 38
 - Elastic limit, 38
 - Elastoplastic analysis, 215, 218–224
 - comments, 222
 - plastic displacement, 221
 - plastic load, 221
 - statically determinate structures, 219
 - statically indeterminate structures, 219–221
 - yield displacement, 219, 221
 - yield load, 219, 220
 - yield strain, 218
 - yield stress, 218
 - Elastic strain energy, 187
 - Elastoplastic bending, 605–613
 - beam of rectangular cross section, 608–610
 - beam of wide-flange shape, 610
 - plastic modulus and shape factor, 608
 - plastic moment and neutral axis, 605–607
 - yield moment, 605
 - Elastoplastic material, 215
 - Elliptical cross sections, 328
 - Endurance curve, 206
 - Energy, 1031, 1034, 1038
 - Engesser, F., 1026
 - Engineering calculations, 1048
 - Equation of compatibility, 894
 - Equation of consistent deformations, 144
 - Equation of deflection curve, 961

Equation of equilibrium, 4, 142, 894
 Euler buckling, 946
 Euler buckling coefficient, 983
 Euler load, 946
 Euler's curve, 948, 967
 Extensometer, 32

F

Factor of safety, 63–64, 972
 margin of safety, 64
 Fahrenheit temperature scale, 1039
 Fatigue limit, 206
 Filament-reinforced material, 37
 Fillets, 209
 First moment Q calculation, 484, 500–501
 First moments, 1057
 Fixed-end beam, 885
 Fixed support, 378
 Flexibility method of analysis, 144, 155
 Flexural rigidity, 455, 557
 Flexural stresses, 455
 Flexure formula, 455–456, 733
 bending stresses, 455
 flexural stresses, 455
 Force, 1037
 Force-displacement relation, 894
 Force method of analysis, 144, 155
 Force of gravity, 1031
 Formulas for moments of inertia, 1063
 Free-body diagrams, 5–7
 Frequency, 1034
 Friction, 52
 Fully stressed beams, 477
 Fundamental case, 946

G

Gage length, 32
 Gage pressure, 720
 Galilei, G., 1022
 Geometric equations, 144
 Glass fibers, 36
 Glulam beam, 498
 Goodier, J.N., 1020

H

Helix, 732
 Higher mode, 946
 Historical notes, 1019–1027
 Hoff, N.J., 1027
 Hollow circular cross section, 489
 Homogenous materials, 26, 46
 Hooke, R., 1019
 Hooke's law, 44–45
 modulus of elasticity, 44–45
 Hooke's law for plane stress, 669–675
 normal strains, 670
 plane stress, 672
 shear strains, 670
 special cases, 671
 strain-energy density, 672–674
 unit volume change, 672
 volume change, 671–672
 Hooke's law for triaxial stress, 676–677
 Hooke's law in shear, 55–56, 278
 shear modulus of elasticity, 55
 shear stress-strain diagrams, 55
 Hoop stress, 726
 Hydrostatic stress, 679

I

Ideal column, 942
 Idealized model, 380
 Idealized structure, 934

Impact factor, 200–201
 Impact loading, 197–205
 dynamic load, 197
 impact factor, 200–201
 limitations, 201–202
 maximum elongation of bar, 198–199
 maximum stress in bar, 199–200
 static load, 197
 suddenly applied load, 201

Inclined load, 571
 Inclined plane stresses, 302–305
 sign convention, 303
 Inclined sections, 175–178, 640
 normal and shear stresses, 178
 notation and sign convention, 176
 orientation of, 175

Inelastic buckling, 971–977
 reduced-modulus theory, 974–975
 Shanley theory, 975–977
 tangent-modulus theory, 973–974

Inelastic strain energy, 187
 Inner surface stress, 722, 728
 In-plane shear stresses, 650–651, 653
 maximum negative shear stresses, 653
 maximum positive shear stresses, 653

Intermediate slenderness ratio, 972
 Internal forces and stress resultants, 12
 beam structure, 12
 plane frame structure, 12
 stepped shaft, 12, 17
 truss structure, 12

Internal releases, 380–382
 axial release, 380
 moment release, 381
 shear release, 381
 torque release, 381

International System of Units (SI), 1029–1037

absolute weight, 1032
 acceleration of gravity, 1033
 apparent weight, 1032
 atmospheric pressure, 1033
 base units, 1030
 derived units, 1031
 energy, 1031, 1034
 force of gravity, 1031
 frequency, 1034
 hertz, 1034
 joule, 1031
 kilogram, 1030
 liter, 1035
 loads on structures, 1035
 mass, 1033
 meter, 1030
 moment, 1034
 newton, 1031
 pascal (Pa), 1035
 prefixes, 1035
 pronunciation of SI prefixes and units, 1036–1037
 second, 1030
 torque, 1034
 units, 1034
 watt (W), 1035
 weight, 1031
 work, 1031, 1034
 writing styles for SI units, 1035–1036

Irregular boundaries, 1058
 Isotropic materials, 47

J

Johnston, B.G., 1027
 Joule, 1031
 Jourawski, D.J., 1022

K

Kelvin temperature scale, 1038
 Kinematic equations, 144
 Kinetic equations, 144

L

Large deflections, imperfections, and inelastic behavior, 948–949
 Lateral contraction, 34, 45
 Lateral strain, 45
 Length changes of axially loaded members, 120–128
 cables, 122–123
 nonuniform conditions, 128–142
 prismatic bars, 121–122
 springs, 120–121
 Length changes of axially loaded members under nonuniform conditions, 128–142
 axial displacement diagram (ADD), 131–132
 bars consisting of prismatic segments, 129–130
 bars with continuously varying loads or dimensions, 130–131
 bars with intermediate axial loads, 128–129
 limitations, 131
 Linear elasticity, Hooke's law, and Poisson's ratio, 44–50
 Hooke's law, 44–45
 limitations, 46–47
 linearly elastic, 44
 Poisson's ratio, 45–46
 Linearly elastic behavior, 187–188
 in bar, 187
 in spring, 188
 Linearly elastic materials, 453, 884
 Linearly varying load, 380
 Line of action of axial forces for uniform stress distribution, 26–27
 Load-deflection diagram, 962
 Load equation, 792
 and deflection, 804–809
 Loads and couples, 399
 Loads on structures, 1035
 Loads, shear forces, and bending moments, 396–399
 concentrated loads, 399
 distributed loads, 396–398
 loads and couples, 399
 sign conventions, 396
 Load test, 972
 Load types, 380
 concentrated load, 380
 couple, 380
 distributed load, 380
 linearly varying load, 380
 uniform load, 380
 Longitudinal displacements at ends of beams, 914–916
 comments, 916
 curvature shortening, 914–915
 horizontal reactions, 915–916
 Longitudinal strains in beams, 449–453
 beam cross section, 449
 neutral axis, 450
 neutral surface, 450
 normal strain, 450
 sign convention, 450
 strain-curvature relation, 450
 Longitudinal stress, 726–727
 Love, A.E.H., 1019
 Lower flange and shear stress, 596
 Lüders, W., 1020

M

Macaulay, W.H., 1025
 Margin of safety, 64
 Mass, 1033, 1037
 Material properties, 1109–1112
 Material reloading, 39
 Mathematical formulas, 1051–1056
 Maximum compressive stress, 966
 Maximum deflection, 961–963
 beam-column, 963
 load-deflection diagram, 962
 Maximum negative shear stress, 653
 Maximum normal stress, 178–180
 of bar in tension, 178–179
 slip bands, 180
 Maximum positive shear stress, 653
 Maximum shear stress, 178–180, 648–656
 biaxial stress, 653
 pure shear, 653
 uniaxial stress, 653
 Maximum stress at cross section, 456
 section moduli, 456
 Maximum stress in beams, 733–741
 flexure formula, 733
 rectangular cross section, 733–736
 shear formula, 733
 wide-flange beams, 736–737
 Mechanical behavior, 31
 Mechanical properties of materials, 31–38
 compression, 37
 compression test, 32
 dynamic test, 32
 extensometer, 32
 gage length, 32
 mechanical behavior, 31
 static test, 32
 stress-strain diagrams, 32–37
 tables of mechanical properties, 37–38
 tensile-test machine, 32
 tensile-test specimen, 32
 Mechanics of materials, 2
 Membrane stress, 721
 Method of successful integration, 794
 Method of superposition, 809–818, 893–894, 907–909
 analysis with M_A as redundant, 896–897
 analysis with R_B as redundant, 893–896
 beam deflection, 812
 beam deflection tables, 810
 comments, 897
 distributed loads, 811–812
 equation of compatibility, 894
 equation of equilibrium, 894
 force-displacement relation, 894
 illustration, 810
 principle of superposition, 812
 Misfits, 166–167
 statically determinate, 166
 statically indeterminate, 167
 Modular ratio, 563
 Moduli of elasticity E and G , 309–310
 Modulus of elasticity, 34, 44–45
 Mohr, O., 1023
 Mohr's circle, 1073
 Mohr's circle for plane strain, 686–687
 Mohr's circle for plane stress, 656–669
 alternative sign convention for shear stress, 661
 comments, 661–662
 construction, 657–659
 equations, 656–657
 forms, 657
 maximum shear stress, 661
 principal plane, 660

 principal stress, 660
 stresses on inclined element, 659–660
 Moment, 1034, 1038
 Moment-area method, 818–826
 angle between tangents, 819
 first theorem, 819–820
 second theorem, 820–822
 tangential deviation, 820
 Moment-curvature equation, 455
 Moment-curvature relationship, 454–455
 composite beam, 556–557
 flexural rigidity, 455, 557
 moment-curvature equation, 455
 moment of inertia, 455
 sign convention, 455
 transformed-section method, 564
 Moment of a couple, 274
 Moment of inertia, 455
 Moment release, 381
 Moments of inertia, 1062
 Moments of inertia of plane areas, 1062–1064
 composite area, 1063
 formulas for moments of inertia, 1063
 moments of inertia, 1062
 radius of gyration, 1063–1064
 second moments of area, 1062

N

Navier, L.M.H., 1020
 Necking, 34
 Net area, 65
 Neutral axis, 450, 454, 556, 563–564, 572, 579–580
 Neutral axis and load inclination, 573
 special cases, 573
 Neutral axis hole, 509
 Neutral equilibrium, 936, 942
 Neutral stress, 504
 Neutral surface, 450
 Newton, 1031
 Nonlinear behavior, 214–218
 changes in bar length, 215–216
 stress-strain curves, 214–215
 Ramberg-Osgood stress-strain law, 216–217
 statically indeterminate structures, 217
 Nonlinear stress-strain curves, 214–215
 bilinear diagram, 215
 elastoplastic analysis, 215
 elastoplastic material, 215
 idealized, 214
 perfect plasticity, 214–215
 Nonprincipal centroidal axes, 582
 Nonprismatic beams, 476–480, 791–792, 826–831
 fully stressed beams, 477
 Nonuniform bars, 188
 Nonuniform bending, 446–447
 Nonuniform temperature changes, 850
 Nonuniform torsion, 290–301, 320–321
 limitations, 292
 torsional displacement diagram (TDD), 292–294
 wind-up, 296
 Normal strain, 25–26, 450
 compressive strain, 25
 dimensionless quantity, 25
 strain, 25
 tensile strain, 25
 Normal stress, 504, 641
 composite beams, 557
 doubly symmetric beams with inclined loads, 572
 transformed-section method, 564–565
 Normal stress and strain, 22–31
 axial force, 22–23
 compressive stresses, 24

 cross section, 23
 limitations, 24–25
 line of action of axial forces for uniform stress distribution, 26–27
 normal strain, 25–26
 normal stresses, 24
 prismatic bar, 22
 shear stresses, 24
 strain, 22
 stress, 22–23
 tensile stresses, 24
 uniaxial stress and strain, 26
 Normal stresses in beams (linearly elastic materials), 453–466
 doubly symmetric shapes, 456–457
 flexure formula, 455–456
 limitations, 457
 linearly elastic materials, 453
 maximum stresses at cross section, 456
 moment-curvature relationship, 454–455
 neutral axis, 454
 properties, 457
 resultant of normal stresses, 453
 stress-strain curve, 453
 Notched rectangular beam, 509
 Numerical accuracy, 1049
 Numerical problems, 1043

O

Oblique angle, 54
 Offset method, 35
 Offset yield stress, 36
 Osgood, W.R., 1021
 Outer surface stress, 722, 727–728
 Out-of-plane shear stresses, 653

P

Parallel-axis theorem for moments of inertia, 1065–1066
 Parallel-axis theorem for polar moments of inertia, 1068
 Parallel-axis theorem for products of inertia, 1070
 Parallelepiped, 53
 Partially elastic, 38
 Pascal (Pa), 1035
 Perfect plasticity, 34, 214–215
 Permanent set, 38
 Pinned ends, 942–951
 comments, 946–947
 critical load, 942, 945–946
 critical stress, 947–948
 differential equation for column buckling, 943–944
 differential equation solution, 944–945
 ideal column, 942
 large deflections, imperfections, and inelastic behavior, 948–949
 neutral equilibrium, 942
 stable equilibrium, 942
 unstable equilibrium, 942
 Pin support, 378
 Plane area properties, 1083–1088
 Plane frame structure, 12
 Plane of bending, 378, 446
 Plane strain, 679–693
 calculation of stresses from strains, 688
 maximum shear strain, 686
 Mohr's circle for plane strain, 686–687
 normal strain, 683
 principal strain, 685
 shear strain, 684
 strain measurements, 687–688
 transformation equations, 681–685
 versus plane stress, 679–681

- Plane stress, 640–647
 biaxial stress, 645
 normal stress, 641
 pure shear, 644
 shear stress, 641
 sign convention for normal stresses, 641
 sign convention for shear stresses, 641
 special cases, 644–647
 stresses on inclined sections, 642–643
 transformation equations for plane stress, 643–644
 uniaxial stress, 644
 versus plane strain, 679–681
- Plane stress applications, 719–786
 combined loadings, 741–765
 cylindrical pressure vessels, 726–733
 introduction, 720
 maximum stress in beams, 733–741
 spherical pressure vessels, 720–725
- Plastic flow, 39
- Plasticity, 38
- Plastic modulus and shape factor, 608
- Plastic moment, 605–608
 elastic core, 605
 neutral axis, 605–607
- Plastics, 37
- Plate girder, 498, 500
- Poisson, S.D., 1020
- Poisson's ratio, 45–46
 lateral contraction, 45
 lateral strain, 45
- Polar moment of inertia, 279, 1068–1069
 parallel-axis theorem for polar moments of inertia, 1068
- Power transmission by circular shafts, 311–315
 units, 311
- Pressure vessels, 720
- Prestrains, 166–167
 prestresses, 166
- Primary structure, 885
- Principal angles, 648–650
- Principal axes, 1073–1076
 principal points, 1074–1075
- Principal moments of inertia, 1073–1076
 principal points, 1074–1075
- Principal planes, 648
 shear stresses, 650
- Principal stresses, 648–656
 in-plane principal stresses, 650–651
 in-plane shear stresses, 653
 out-of-plane shear stresses, 653
 principal angles, 648–650
 principal planes, 648
 special cases, 650
- Principle of superposition, 812
- Prismatic bars, 22, 121–122
 axial rigidity, 121
 elongation, 121
 flexibility, 122
 linearly elastic material in, 121
 sign convention, 121–122
 stiffness, 122
- Prismatic beams, 792
 bending-moment equation, 792
 load equation, 792
 shear-force equation, 792
- Problem solving, 1043–1050
 dimensional homogeneity, 1047–1048
 problem types, 1043–1044
 rounding of numbers, 1050
 significant digits, 1048–1050
 steps, 1044–1047
- Problem-solving approach (PSA), 1044
- Products of inertia, 1069–1071
 parallel-axis theorem for products of inertia, 1070
- Profile section, 591
- Progressive fracture, 205
- Proportional limit, 34
- Propped cantilever beam, 884
- Pure bending, 446–447
- Pure shear, 54, 275, 302, 644, 653
- Pure shear strains, 305–306
 shear distortion, 305
- Pure torsion, 275, 280, 319
- ## R
- Radius of curvature, 447
- Radius of gyration, 947, 1063–1064
- Ramberg, W.A., 1021
- Ramberg-Osgood stress-strain law, 216–217
- Rankine, W.J.M., 1023
- Rankine temperature scale, 1039
- Reactions, 380
- Reactive forces and support conditions, 7–11
- Rectangle section, 601–602
- Rectangular cross sections, 329–330
- Reduced-modulus theory, 974–975
 load, 975
- Reinforced concrete beams, 558
- Relaxation, 39
- Released structure, 885
- Repeated loading and fatigue, 205–207
 endurance curve, 206
 endurance limit, 206
 fatigue limit, 206
 progressive fracture, 205
 repeated loads, 205
 S-N diagram, 206
- Residual strain, 38
- Restoring moment, 935
- Resultant of normal stresses, 453
- Rhomboid, 54
- Roller support, 378
- Rotation of axes and inertia, 1072–1073
 Mohr's circle, 1073
 transformation equations for moments and products of inertia, 1073
- Rubber, 36
- ## S
- Saint-Venant, B., 1021
- Saint-Venant's principle, 207–208
- Sandwich beams, 554
- Secant formula for columns, 965–970
 eccentricity ratio, 966
 Euler's curve, 967
 maximum compressive stress, 966
- Second moments of area, 1062
- Section moduli, 456
- Shaft, 274
- Shanley, F.R., 1027
- Shanley theory, 975–977
- Shape factor, 609
- Shear-center concept, 589–590
 doubly symmetric cross section, 590
 singly symmetric cross section, 590
 thin-walled open cross section, 590
 unsymmetric cross section, 590
- Shear centers of thin-walled open sections, 597–604
 angle section, 600–601
 channel section, 597–600
 sections consisting of two intersecting narrow rectangles, 601–602
 z-section, 602
- Shear distortion, 305
- Shear flow, 593
- Shear-flow formula, 500
- Shear-force and bending-moment diagrams, 400–426
 comments, 404
 concentrated load, 400–401
 several concentrated loads, 402–404
 uniform load, 402
- Shear-force equation, 792
 and deflection, 804–809
- Shear forces and bending moments, 377–444
 beams, loads, and reactions, 378–388
 introduction, 378
 loads, shear forces, and bending moments, 396–399
 shear-force and bending-moment diagrams, 400–426
- Shear formula, 733
- Shear formula derivation, 481–484
 element, 481
 subelement, 481
- Shear modulus of elasticity, 55
- Shear release, 381
- Shear strain, 54, 275–277
 distortion, 54
 effects, 485
- Shear stress, 24, 592, 641
- Shear stress and strain, 50–63
 average bearing, 50
 average shear stress, 53
 bearing area, 51
 bearing stresses, 50
 equality on perpendicular planes, 53–54
 direct shear, 53
 double shear, 51
 friction, 52
 Hooke's law in shear, 55–56
 shear strain, 54
 sign conventions, 54–55
 units, 53
- Shear stress distribution and angle of twist, 328
- Shear stress distribution in rectangular beam, 484–485
- Shear stress equality on perpendicular planes, 53–54
 pure shear, 54
- Shear stress in beams of circular cross section, 488–491
 circular cross section, 488
 hollow circular cross section, 489
- Shear stress in beams of rectangular cross section, 480–488
 calculation of first moment Q , 484
 derivation of shear formula, 481–484
 effects of shear strains, 485
 limitations, 485
 shear stress distribution in rectangular beam, 484–485
 vertical and horizontal, 480–481
- Shear stress in beams of thin-walled open cross section, 590–593
 profile section, 591
 shear flow, 593
 shear stresses, 592
 structural section, 591
 thin-walled open cross section, 591
- Shear stress in web of beams with flanges, 491–498
 limitations, 494–495
 maximum and minimum, 493
 shear force in web, 493–494
- Shear stress in wide-flange beams, 593–597
 comments, 596–597
 lower flange, 596
 upper flange, 593–595
 web, 595–596

- Shear stress-strain diagrams, 55
- Shell structures, 720
- Shoulder, 210
- Sign conventions, 302–303, 389–390
 - bending moments, 571–572
 - curvature, 448
 - deformation, 390
 - linearly elastic materials, 455
 - longitudinal strains, 450
 - normal stresses, 641
 - shear stresses and strains, 54–55, 641
 - static, 390
- Significant digits, 1048–1050
- Simple beam, 378
- Single load deflections, 832–833
 - concentrated load, 832
- Single load displacements, 189
- Singly symmetric cross section, 590
- Slender beam, 505
- Slip bands, 180
- Slope, 789
- Slug, 1037
- Small deflections, 448
- Spherical pressure vessels, 720–725
 - comments, 723
 - gage pressure, 720
 - inner surface stress, 722
 - membrane stress, 721
 - outer surface stress, 722
 - pressure vessels, 720
 - shell structures, 720
 - tensile stress in spherical shell wall, 721
 - thin-walled pressure vessels, 720
- Spherical stress, 678–679
 - bulk modulus of elasticity, 678–679
 - hydrostatic stress, 679
 - volume modulus of elasticity, 678–679
- Springs, 120–121
 - coil springs, 120
 - compliance, 121
 - compression, 120
 - flexibility, 120
 - linearly elastic material in, 120
 - natural length, 120
 - spring constant, 121
 - stiffness, 120
 - tension, 120
- Stable equilibrium, 942
- Stable structure, 935
- State of stress, 640
- Statically determinate structures, 142
- Statically indeterminate beams, 883–932
 - deflection curve analysis using differential equations, 887–893
 - introduction, 884
 - longitudinal displacements at ends of beams, 914–916
 - method of superposition, 893–894
 - temperature effects, 907–913
 - types, 885–887
- Statically indeterminate structures, 142–155, 217
 - compatibility equation, 143
 - elastoplastic analysis, 219–222
 - equilibrium equation, 142
 - force-displacement relations, 143
 - general comments, 144
- Statically indeterminate torsional members, 315–319
 - compatibility equations, 316
 - equilibrium equations, 315
 - torque-displacement relations, 316
- Static equations, 144
- Static load, 197
- Static redundants, 885
- Statics, 3–22
 - applied forces, 4–5
 - equilibrium equations, 4
 - free-body diagrams, 5–7
 - internal forces and stress resultants, 12
 - reactive forces and support conditions, 7–11
- Static sign conventions, 390
- Static test, 32
- Stepped shaft, 12, 17
- Stiffness method of analysis, 144, 155
- Stocky beam, 505
- Strain, 22, 25
- Strains and stresses of composite beams, 554–555
- Strain-curvature relation, 450
- Strain energy, 186–197
 - comments, 188–189
 - compression, 189
 - density, 190
 - elastic and inelastic, 187
 - internal work, 186
 - linearly elastic behavior, 187–188
 - load-displacement diagram, 186
 - nonuniform bars, 188
 - potential energy, 189
 - single load displacements, 189
 - static load, 186
 - units, 187
- Strain energy and torsion constant, 339–340
 - circular tube, 340
 - rectangular tube, 340
- Strain-energy density, 190
 - modulus of resilience, 190
 - modulus of toughness, 190
 - plane stress, 672–674
 - pure shear, 321–322
 - units, 190
- Strain energy in torsion and pure shear, 319–326
 - limitations, 321
 - nonuniform torsion, 320–321
 - pure torsion, 319
 - strain-energy density in pure shear, 321–322
- Strain energy of bending, 831–836
 - single load deflections, 832–833
- Strain gage, 687
- Strain harden, 34
- Strain measurements, 687–688
 - strain gage, 687
 - strain rosette, 697
- Strain rosette, 697
- Strength, 34
- Strength limit, 972
- Stress, 22–23
- Stress and strain analysis, 639–718
 - Hooke's law for plane stress, 669–675
 - introduction, 640
 - Mohr's circle for plane stress, 656–669
 - plane strain, 679–693
 - plane stress, 640–647
 - principal stresses and maximum shear stresses, 648–656
 - triaxial stress, 675–679
- Stress concentrations, 207–213
 - factors, 209–210
 - fillets, 209
 - Saint-Venant's principle, 207–208
 - shoulder, 210
 - stress raisers, 207
 - torsion, 244–248
- Stress concentrations in bending, 509–513
 - neutral axis hole, 509
 - notched rectangular beam, 509
- Stress contour, 735
- Stress elements, 640
 - inclined sections, 174–175
- Stresses and loads, 63–69
 - allowable loads, 65–55
 - allowable stresses, 64–65
 - factor of safety, 63–64
 - strength, 63
 - structure, 63
- Stresses and strains for structural steel, 33–35
 - conventional stress-strain curve, 35
 - lateral contraction, 34
 - modulus of elasticity, 34
 - necking, 34
 - perfectly plastic, 34
 - proportional limit, 34
 - strain harden, 34
 - strength, 34
 - true stress-strain curve, 35
 - ultimate strength, 34
 - ultimate stress, 34
 - yield point, 34
 - yield strength, 34
 - yield stress, 34
 - yielding, 34
- Stresses and strains in pure shear, 302–309
 - inclined plane stresses, 302–305
 - pure shear, 302
 - pure shear strains, 305–306
 - sign convention, 302
- Stresses in beams (advanced topics), 553–638
 - composite beams, 554–562
 - doubly symmetric beams with inclined loads, 571–578
 - elastoplastic bending, 605–613
 - introduction, 554
 - shear-center concept, 589–590
 - shear centers of thin-walled open sections, 597–604
 - shear stresses in beams of thin-walled open cross sections, 590–593
 - shear stresses in wide-flange beams, 592–597
 - transformed-section method, 563–571
 - unsymmetric beams and bending, 578–588
- Stresses in beams (basic topics), 445–552
 - axial load, 502–508
 - beam curvature, 447–448
 - beam design for bending stresses, 466–476
 - built-up beams and shear flow, 498–502
 - introduction, 446
 - longitudinal strains in beams, 449–453
 - nonprismatic beams, 476–480
 - normal stresses in beams (linearly elastic materials), 453–466
 - pure bending and nonuniform bending, 446–447
 - shear stress in beams of circular cross section, 488–491
 - shear stress in beams of rectangular cross section, 480–488
 - shear stress in web of beams with flanges, 491–498
 - stress concentrations in bending, 509–513
- Stresses on inclined element, 659–660
- Stresses on inclined sections, 174–185, 642–643
 - inclined sections, 175–178
 - maximum normal and shear stresses, 178–180
 - stress elements, 174–175
 - uniaxial stress, 180
 - wedge-shaped stress element, 642
- Stress raisers, 207
- Stress resultants, 389, 502
- Stress-strain curve, 453

- Stress-strain diagrams, 32–37
 aluminum alloys, 35–36
 brittle materials, 36–37
 composites, 37
 ductility, 35
 ductility and elongation, 36
 nominal strain, 33
 nominal stress, 33
 plastics, 37
 rubber, 36
 structural steel, 33–35
 true strain, 33
 true stress, 33
- Stress trajectories, 735
- Structural section, 591
- Structural steel, 33–35, 467, 979–980
 properties of shapes, 1089–1100
- Suddenly applied load, 201
- Symbolic problems, 1043
- Symmetric about an axis, 1058
- Symmetric about a point, 1058
- Symmetry condition, 794
- Systems of units and conversion factors, 1029–1042
 systems of units, 1029–1030
- T**
- Tables of mechanical properties, 37–38
- Tangential deviation, 820
- Tangent-modulus theory, 973–974
 load, 973–974
- Temperature effects, 850–852, 907–913
- Temperature units, 1038–1039
 Celsius scale, 1038–1039
 Fahrenheit scale, 1039
 Kelvin scale, 1038
 Rankine scale, 1039
- Tensile strain, 25
- Tensile stress, 24
 spherical shell wall, 721
- Tensile-test machine, 32
- Tensile-test specimen, 32
- Tension, compression, and shear, 1–118
 allowable stresses and loads, 63–69
 design for axial loads and direct shear, 70–73
 elasticity, plasticity, and creep, 38–44
 introduction to mechanics of materials, 2
 linear elasticity, Hooke's law, and Poisson's ratio, 44–50
 mechanical properties of materials, 31–38
 normal stress and strain, 22–31
 problem-solving approach, 2–3
 shear stress and strain, 50–63
 statics review, 3–22
- Tensors, 640
- Thermal effects, 156–158
 coefficient of thermal expansion, 156
 sign convention, 156
 statically determinate structures, 157
 statically indeterminate structures, 157
 strains, 156
 stresses, 156–157
 temperature-displacement relation, 157
- Thermal effects, misfits, and prestrains, 155–173
 bolts and turnbuckles, 167
 misfits and prestrains, 166–167
 thermal effects, 156–158
- Thin-walled open cross sections, 330, 590–591
- Thin-walled pressure vessels, 720
- Thin-walled tubes, 336–344
 angle of twist, 340–341
 limitations, 341
 shear stresses and shear flow, 336–337
 strain energy and torsion constant, 339–340
 torsion formula, 337–339
- Timoshenko, S.P., 1019, 1020, 1023
- Torque, 274, 1034, 1038
- Torque release, 381
- Torsion, 273–376
 circular bar deformations, 274–277
 circular bars of linearly elastic materials, 277–289
 introduction, 274
 noncircular prismatic shafts, 326–335
 nonuniform torsion, 290–301
 power transmission by circular shafts, 311–315
 relationship between moduli of elasticity E and G , 309–310
 statically indeterminate torsional members, 315–319
 strain energy in torsion and pure shear, 319–326
 stress concentrations, 344–348
 stresses and strains in pure shear, 302–309
 thin-walled tubes, 336–344
- Torsional deformations of circular bar, 274–277
 angle of twist, 275
 angle of twist per unit length, 276
 circular tubes, 277
 pure torsion, 275
 shear strains at outer surface, 275–277
 shear strains within bar, 277
- Torsional displacement diagram (TDD), 292–294
- Torsional flexibility, 280
- Torsional rigidity, 280
- Torsional stiffness, 280
- Torsion formula, 279–280
 circular tube, 338
 median line, 337
 rectangular tube, 339
 thin-walled tubes, 337–339
- Torsion of noncircular prismatic shafts, 326–335
 elliptical, triangular, and rectangular cross sections, 328–330
 shear stress distribution and angle of twist, 328
 thin-walled open cross sections, 330
- Transformation equations, 640
 moments and products of inertia, 1073
 plane stress, 643–644
- Transformed-section method, 563–571
 comments, 565
 modular ratio, 563
 moment-curvature relationship, 564
 neutral axis, 563–564
 normal stresses, 564–565
- Trial-and-error procedure for selecting column, 978
- Triangular cross sections, 329
- Triaxial stress, 675–679
 Hooke's law for triaxial stress, 676–677
 maximum shear stresses, 676
 spherical stress, 678–679
 strain-energy density, 677–678
 unit volume change, 677
- True stress-strain curve, 35
- Truss structure, 12
- Turnbuckles, 167
 double-acting turnbuckle, 167
- Twisting moment, 274
- Two axes of symmetry, 1058
- U**
- Ultimate strength, 34
- Ultimate stress, 34, 65
- Uniform load, 402
- Uniaxial stress and strain, 26, 180, 644, 653
 homogeneous materials, 26
- Uniform load, 380
- Units, 1034
- Unit systems, 1029–1030
 absolute system, 1030
 British Imperial System, 1029
 conversions between units, 1039–1041
 gravitational systems, 1030
 International System of Units (SI), 1029
 metric, 1029
 temperature, 1038–1039
 U.S. Customary System (USCS), 1029
- Unstable equilibrium, 942
- Unstable structure, 935
- Unsymmetric beams and bending, 578–588
 alternate analysis procedure, 582–583
 analysis procedure, 581–582
 neutral axis, 579–580
- Unsymmetric cross section, 590
- Upper flange and shear stress, 593–595
- U.S. Customary System (USCS) of units, 1029
 atmospheric pressure, 1038
 energy, 1038
 foot-pound (ft-lb), 1038
 foot, 1037
 force, 1037
 mass, 1037
 moment, 1038
 pound-foot (lb-ft), 1038
 pound, 1037
 second, 1037
 slug, 1037
 torque, 1038
 work, 1038
- V**
- Vector, 274
- Vertical and horizontal shear stresses, 480–481
- Volume change, 671–672
- Volume modulus of elasticity, 678–679
- Von Kármán, T., 1026
- W**
- Watt (W), 1035
- Web and shear stress, 595–596
- Wedge-shaped stress element, 642
- Weight, 1031
- Wide-flange beam, 500, 736–737
- Wind-up, 296
- Wire rope, 122
- Wood beams, 468
- Wood box beam, 501
- Wood columns, 982–984
 adjustment factor, 982
 allowable stress, 982
 column stability factor, 983
 Euler buckling coefficient, 983
 wood slenderness ratio, 983
- Wood slenderness ratio, 983
- Work, 1031, 1034, 1038
- Y**
- Yield moment, 605, 608
- Yield point, 34
- Yield strength, 34
- Yield stress, 34
- Yielding, 34
- Young, D.H., 1026
- Young, T., 1019
- Young's modulus, 45
- Z**
- Z-section, 602